



EX447^{Q&As}

Red Hat Certified Specialist in Advanced Automation: Ansible Best Practices

Pass RedHat EX447 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/ex447.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by RedHat Official Exam Center

- ⚙ **Instant Download** After Purchase
- ⚙ **100% Money Back** Guarantee
- ⚙ **365 Days** Free Update
- ⚙ **800,000+** Satisfied Customers





QUESTION 1

CORRECT TEXT

Create a playbook called regulartasks.yml which has the system that append the date to /root/datefile every day at noon. Name is job \\datejob\\

A. See the for complete Solution below.

Correct Answer: A

Solution as:

```
- name: Creates a cron file under /etc/cron.d
cron:
  name: datejob
  hour: "12"
  user: root
  job: "date >> /root/ datefile"
```

QUESTION 2

CORRECT TEXT

Create a playbook /home/bob /ansible/motd.yml that runs on all inventory hosts and docs the following: The playbook should replaee any existing content of/etc/motd in the following text. Use ansible facts to display the FQDN of each host

On hosts in the dev host group the line should be "Welcome to Dev Server FQDN".

On hosts in the webserver host group the line should be "Welcome to Apache Server FQDN".

On hosts in the database host group the line should be "Welcome to MySQL Server FQDN".

A. See the for complete Solution below.

Correct Answer: A

/home/sandy/ansible/apache.yml



```
---  
- name: http  
  hosts: webserver  
  roles:  
    - sample-apache
```

/home/sandy/ansible/roles/sample-apache/tasks/main.yml

QUESTION 3

CORRECT TEXT

Create a file called `adhoc.sh` in `/home/sandy/ansible` which will use `adhoc` commands to set up a new repository. The name of the repo will be `EPEL` the description `RHEL8` the baseurl is `https://dl.fedoraproject.org/pub/epel/epel-release-latest8.noarch.rpm` there is no `gpgcheck`, but you should enable the repo.

*

You should be able to use a `bash` script using `adhoc` commands to enable repos. Depending on your lab setup, you may need to make this repo `state=absent` after you pass this task.

A.

See the for complete Solution below.

Correct Answer: A

```
chmod 0777 adhoc.sh  
vim adhoc.sh  
#!/bin/bash  
ansible all -m yum_repository -a 'name=EPEL description=RHEL8  
baseurl=https://dl.fedoraproject.org/pub/epel/epel-release-latest-8.noarch.rpm gpgcheck=no enabled=yes'
```

QUESTION 4

CORRECT TEXT

Create the users in the `fileusers.yml` file provided. Do this in a playbook called `users.yml` located at `/home/sandy/ansible`. The passwords for these users should be set using the `lock.yml` file from TASK 7. When running the playbook, the `lock.yml` file should be unlocked with `secret.txt` file from TASK 7.

All users with the job of `developer` should be created on the `devhosts`, add them to the group `devops`, their password should be set using the `pw_dev` variable. Likewise create users with the job of `manager` on the `proxyhost` and add the users to the group `managers`, their password should be set using the `pw_mgr` variable.



users_list.yml

```
users:
  - username: bill
    job: developer
  - username: chris
    job: manager
  - username: dave
    job: test
  - username: ethan
    job: developer
```

A. See the for complete Solution below.

Correct Answer: A

ansible-playbook users.yml --password-file=secret.txt



```
- name: create users
hosts: all
vars_files:
  - users_list.yml
  - lock.yml
tasks:
  - name: create devops group nodes1
    group:
      name: devops
    when: ('dev' in group_names)
  - name: create manager group nodes45
    group:
      name: manager
    when: ('prod' in group_names)
  - name: create devs should happen on node1
    user:
      name: "{{item.username}}"
      groups: devops
      password: "{{ pw_dev | password_hash('sha512') }}"
    when: ('dev' in group_names) and ('developer' in item.job)
    loop: "{{users}}"
  - name: create managers on node45
    user:
      name: "{{item.username}}"
      groups: manager
      password: "{{ pw_mgr | password_hash('sha512') }}"
    when: ('prod' in group_names) and ('manager' in item.job)
    loop: "{{users}}"
```

QUESTION 5

CORRECT TEXT

Create a file called mysecret.yml on the control host using ansible vault in home/bob/ansible. Set the password to \\notasafepass\\ and inside the file create a variable called dev_pass with the value of devops. Save the file. Then go back in the file and change dev_pass value to devops123. Then change the vault password of mysecret.yml to verysafepass

A. See the for complete Solution below.

Correct Answer: A

ansible-vault create lock.yml New Vault Password: reallysafepw Confirm: reallysafepw



In file:

```
pw_dev: dev  
pw_mgr: mgr
```

[EX447 PDF Dumps](#)

[EX447 Practice Test](#)

[EX447 Exam Questions](#)