



F50-531^{Q&As}

BIG-IP v10.x LTM Essentials V10.x

Pass F5 F50-531 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/f50-531.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by F5 Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Which statement is true concerning SNAT's using auto-map?

- A. Only specified self-IP addresses are used as automap addresses.
- B. SNATs using automap will translate all client addresses to an automap address.
- C. A SNAT using automap will preferentially use a floating self-IP over a non-floating self-IP.
- D. A SNAT using automap can be used to translate the source address of all outgoing traffic to the same address regardless of which VLAN the traffic is sent through.

Correct Answer: C

QUESTION 2

What is the purpose of provisioning?

- A. Provisioning allows modules that are not licensed to be fully tested.
- B. Provisioning allows modules that are licensed be granted appropriate resource levels.
- C. Provisioning allows the administrator to activate modules in non-standard combinations.
- D. Provisioning allows the administrator to see what modules are licensed, but no user action is ever required.

Correct Answer: B

QUESTION 3

Assuming there are open connections through an active system's virtual servers and a fail-over occurs, by default, what happens to the connections?

- A. All open connections are lost.
- B. All open connections are maintained.
- C. When persistence mirroring is enabled, open connections are maintained even if a fail-over occurs.
- D. Long-lived connections such as Telnet and FTP are maintained, but short-lived connections such as HTTP are lost.
- E. All open connections are lost, but new connections are initiated by the newly active BIG-IP, resulting in minimal client downtime.

Correct Answer: A

QUESTION 4



A virtual server is listening at 10.10.1.100:80 and has the following iRule associated with it: when HTTP_REQUEST { if {[HTTP::uri] ends_with "txt" } { pool pool1 } elseif {[HTTP::uri] ends_with "php" } { pool pool2 } If a user connects to http://10.10.1.100/foo.html, which pool will receive the request?

- A. pool1
- B. pool2
- C. None. The request will be dropped.
- D. Unknown. The pool cannot be determined from the information provided.

Correct Answer: D

QUESTION 5

How is persistence configured?

- A. Persistence is an option within each pool's definition.
- B. Persistence is a profile type; an appropriate profile is created and associated with virtual server.
- C. Persistence is a global setting; once enabled, load-balancing choices are super-ceded by the persistence method that is specified.
- D. Persistence is an option for each pool member. When a pool is defined, each member's definition includes the option for persistence.

Correct Answer: B

[F50-531 PDF Dumps](#)

[F50-531 Practice Test](#)

[F50-531 Study Guide](#)