



F50-531^{Q&As}

BIG-IP v10.x LTM Essentials V10.x

Pass F5 F50-531 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/f50-531.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by F5 Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Which statement is true about the synchronization process, as performed by the Configuration Utility or by typing `config sync all`?

- A. The process should always be run from the standby system.
- B. The process should always be run from the system with the latest configuration.
- C. The two `/config/bigip.conf` configuration files are synchronized (made identical) each time the process is run.
- D. Multiple files, including `/config/bigip.conf` and `/config/bigip_base.conf`, are synchronized (made identical) each time the process is run.

Correct Answer: C

QUESTION 2

- A. insert
- B. rewrite
- C. passive
- D. session

Correct Answer: A

QUESTION 3

How is MAC masquerading configured?

- A. Specify the desired MAC address for each VLAN for which you want this feature enabled.
- B. Specify the desired MAC address for each self-IP address for which you want this feature enabled.
- C. Specify the desired MAC address for each VLAN on the active system and synchronize the systems.
- D. Specify the desired MAC address for each floating self-IP address for which you want this feature enabled.

Correct Answer: A

QUESTION 4

A site has assigned the ICMP monitor to all nodes and a custom monitor, based on the HTTP template, to a pool of web servers. The HTTP-based monitor is working in all cases. The ICMP monitor is failing for 2 of the pool member 5 nodes. All other settings are default. What is the status of the monitor is working in all cases. The ICMP monitor is failing for 2 of the pool member 5 nodes. All other settings are default. What is the status of the pool members?



- A. All pool members are up since the HTTP-based monitor is successful.
- B. All pool members are down since the ICMP-based monitor is failing in some cases.
- C. The pool members whose nodes are failing the ICMP-based monitor will be marked disabled.
- D. The pool members whose nodes are failing the ICMP-based monitor will be marked unavailable.

Correct Answer: D

QUESTION 5

A virtual server at 10.10.1.100:80 has the rule listed below applied. When HTTP_REQUEST { if {[HTTP::uri] ends_with "htm" } { pool pool1 } elseif {[HTTP::uri] ends_with "xt" } { pool pool2 } If a user connects to http://10.10.1.100/foo.txt which pool will receive the request?

- A. pool1
- B. pool2
- C. None. The request will be dropped.
- D. Unknown. The pool cannot be determined from the information provided.

Correct Answer: B

[F50-531 PDF Dumps](#)

[F50-531 VCE Dumps](#)

[F50-531 Exam Questions](#)