



# FPGEE<sup>Q&As</sup>

Foreign Pharmacy Graduate Equivalency Examination

## Pass NABP FPGEE Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/fpgee.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by NABP  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





### QUESTION 1

False statement regarding vitamin D3 metabolism include:

- A. Vitamin C facilitates absorption of vitamin D3 in the liver
- B. Hydroxylation of D3 is in kidney
- C. Hydroxylation of is D3 in the liver
- D. Parathyroid hormone activate metabolism of vitamin D3 in the kidney
- E. Skin activates synthesis of vitamin D3 by sunlight

Correct Answer: B

---

### QUESTION 2

An angiotensin-converting enzyme (ACE. inhibitor for which both renal elimination and metabolism are important in the elimination of the drug and its active metabolites is:

- A. enalapril
- B. fosinopril
- C. lisinopril
- D. quinapril
- E. ramipril

Correct Answer: B

---

### QUESTION 3

IVIT, a pharmacy technician, has worked in a community pharmacy for 5 years. He is well-trained and welcomes new learning opportunities. His manager, now wanting to delegate a new technical project to him, should:

- I. discuss suggested steps to accomplish the project.
- II. negotiate a time schedule for completion of the project.
- III. provide support and follow-up as required.

- A. I only
- B. I and II only
- C. I, II, and III
- D. II and III only



III only

C.

I and II only

D.

II and III only

E.

I, II and III

Correct Answer: E

---

#### QUESTION 4

The fraction of bound receptors in a well-defined drug-receptor binding system is determined by:

I. the equilibrium drug-receptor dissociation constant

II. the free drug concentration

III.

the total receptor concentration

A.

I only

B.

III only

C.

I and II only

D.

II and III only

E.

I, II and III

Correct Answer: C

---



**QUESTION 5**

Mechanism of action of amyl nitrite is:

- A. dopamine antagonist
- B. Unknown
- C. Holds water in stool
- D. Potassium channel agonist
- E. Stimulates guanylate cyclase

Correct Answer: E

[FPGEE Practice Test](#)

[FPGEE Study Guide](#)

[FPGEE Braindumps](#)