



GPPA^{Q&As}

GIAC Certified Perimeter Protection Analyst

Pass GIAC GPPA Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/gppa.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by GIAC
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

You work as a technician for ABC Inc. You are troubleshooting a connectivity issue on a network. You are using the ping command to verify the connectivity between two hosts. You want ping to send larger sized packets than the usual 32- byte ones.

Which of the following commands will you use?

- A. ping -a
- B. ping -4
- C. ping -t
- D. ping -l

Correct Answer: D

QUESTION 2

Which of the following statements about a host-based intrusion prevention system (HIPS) are true? Each correct answer represents a complete solution. (Choose two.)

- A. It cannot detect events scattered over the network.
- B. It can handle encrypted and unencrypted traffic equally.
- C. It can detect events scattered over the network.
- D. It is a technique that allows multiple computers to share one or more IP addresses.

Correct Answer: AB

QUESTION 3

Which of the following components are used in the implementation of a wireless intrusion prevention system?

Each correct answer represents a part of the solution. (Choose three.)

- A. Sensor
- B. Console
- C. Analyzer
- D. Server

Correct Answer: ABD



QUESTION 4

In which of the following conditions is the SYN Protector rule base activated in passive mode?

- A. When the number of SYN packets per second is equal to 13,425 (default).
- B. When the number of SYN packets per second is greater than the sum of the lower SYNs-per-second threshold and the upper SYNs-per-second threshold.
- C. Only when the number of SYN packets per second is equal to the sum of the lower SYNs-per-second threshold and the upper SYNs-per-second threshold.
- D. When the number of SYN packets per second is smaller than the sum of the lower SYNs-per-second threshold and the upper SYNs-per-second threshold.

Correct Answer: B

QUESTION 5

Which of the following is an attack with IP fragments that cannot be reassembled?

- A. Password guessing attack
- B. Smurf attack
- C. Teardrop attack
- D. Dictionary attack

Correct Answer: C

[Latest GPPA Dumps](#)

[GPPA PDF Dumps](#)

[GPPA Braindumps](#)