



H11-828^{Q&As}

HCNP-UC(Fast Track)(Unified Communication (Fast Track))

Pass Huawei H11-828 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/h11-828.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Huawei
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

During eSpace Desktop login, which is used for UC account and password authentication?

- A. BMU
- B. eServer
- C. MAA
- D. Unified gateway

Correct Answer: B

QUESTION 2

In a multi-node centralized network, there is a central node with a U1981 deployed, and two branch nodes, one with a U1911 and the other with a U1960. When POTS user A under U1911 calls POTS user B under U1960, the path along which the call's SIP signaling is transmitted is ().

- A. U1911->U1981->U1960
- B. U1911->U1960
- C. A->U1911->B
- D. A->U1960->B
- E. A->U1981->B

Correct Answer: A

QUESTION 3

U1900 series unified gateways are deployed in redundancy mode in an enterprise. One day, a communication fault occurs, so all users cannot make voice calls. The cause of the fault is that the active gateway breaks down, but the standby gateway does not take over services from the active gateway. In this case, which of the following methods is the most suitable?

- A. Check whether the standby gateway is normal, and manually switch to the standby gateway to recover services.
- B. Locate the fault that causes the failure of the two-node cluster switchover after the active gateway is faulty.
- C. Locate the fault that causes the active gateway breakdown.

Correct Answer: A

QUESTION 4



In a multi-node centralized network, which of the following statements are CORRECT if the central node is disconnected from a local node? (Multiple Choice)

- A. The local node becomes an independent IP PBX and accepts registration requests from SIP users.
- B. On the central node, the status of the local node's users is displayed as FAULT.
- C. On the central node, the local node's license information is not displayed.
- D. On the central node, the local node's license information is still displayed.

Correct Answer: ABC

QUESTION 5

An AR provides multiple statistics query commands. SIP message statistics can be queried in all views,

- A. TRUE
- B. FALSE

Correct Answer: B

[Latest H11-828 Dumps](#)

[H11-828 PDF Dumps](#)

[H11-828 Study Guide](#)