



H12-211^{Q&As}

HCIA-Routing & Switching V2.2

Pass Huawei H12-211 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/h12-211.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Huawei
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

Which of the following entries is not included in the routing table?

- A. source address
- B. next hop
- C. destination address
- D. cost

Correct Answer: A

QUESTION 2

A network administrator wishes to implement VLAN 10 to isolate certain users. It is common however for these users to often change their physical location. Which of the following VLAN implementations should be used?

- A. Port based VLAN assignment
- B. Protocol based VLAN assignment
- C. MAC based VLAN assignment
- D. IP subnet based VLAN assignment

Correct Answer: C

QUESTION 3

The administrator found that the above message popped up on the device. The correct statement about this information is ().

Warning:Auto-Config is working.Before configuring the device,stop Auto-Config.If you perform Configurations when Auto-Config is running,the DHCP,routing,DNS,and VTY configurations will be lost.Do

You want to stop Auto-config?[Y/N]:

- A. If you need to enable automatic configuration, the administrator needs to choose Y
- B. If you do not need to enable automatic configuration, the administrator needs to select N
- C. When the device is first started, the auto configuration function is enabled.
- D. When the device is first started, the auto configuration function is disabled.



Correct Answer: C

QUESTION 4

If the broadcast address of a network is 172.16.1.255, then its network address may be ()?

- A. 172.16.2.0
- B. 172.16.1.253
- C. 172.16.1.128
- D. 172.168.1.1

Correct Answer: C

QUESTION 5

A DHCP server has been established in the enterprise network. After the client has obtained an IP address from the DHCP server, the user decided to modify the IP address manually. In what way may this affect the enterprise network? (Choose two).

- A. The client may experience an IP address conflict.
- B. The client may access the network normally.
- C. The client's interface connection will shutdown.
- D. The client will associate with another DHCP server.

Correct Answer: AB

[H12-211 PDF Dumps](#)

[H12-211 Practice Test](#)

[H12-211 Braindumps](#)