



H12-221^{Q&As}

HCIP-Routing & Switching-IERS V2.5

Pass Huawei H12-221 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/h12-221.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Huawei
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

The import-route limit" command is used to set a maximum number of imported routes that can be imported into an OSPF routing process.

- A. TRUE
- B. FALSE

Correct Answer: A

QUESTION 2

The defined route-policy set-cost configurations are: ip ip-prefix 1 permit 10.1.0.0 16 route-policy Set-cost permit node 10 if-match ip-prefix 1 apply cost 300 route-policy Set-cost permit node 20 apply cost 200 Which of the following statements is true?

- A. The route 10.1.0.0/16 matches node 10 and its cost is set to 300.
- B. The route 10.1.0.0/16 matching node 10 also matches node 20 and its final cost is set to 200.
- C. Costs of all routes will be set to 200.
- D. All routes that fail to match node 10 will be denied.

Correct Answer: A

QUESTION 3

A company has four departments. Department A has 80 PCs, Departments B and C both have 20 PCs, and Department D has 30 PCs. Assuming the IP address 192.168.1.0/x is used, which of the following statements are true if the VLSM technology is employed for subnetting? (Select 2 answers)

- A. Plan subnet 192.168.1.0/25 for Department A. The range of host addresses is 1 to 126.
- B. Plan subnet 192.168.1.128/27 for Department B. The range of host addresses is 129 to 159.
- C. Plan subnet 192.168.1.160/27 for Department C. The range of host addresses is 161 to 190.
- D. Plan subnet 192.168.1.192/27 for Department D. The range of host addresses is 192 to 222.

Correct Answer: AC

QUESTION 4

Which of the following statements regarding the MED attribute are true? (Select 3 answers)

- A. Based on BGP route selection rules, the MED has precedence over the AS_Path, Preferred- Value, Local-Preference, and Origin attributes.



B. The MED of a BGP route is 100 by default.

C. Generally, BGP compares only the MEDs of routes received from the same AS but if the "compare-different-as-med" command is configured, BGP can compare the MEDs of the routes received from multiple ASs.

D. the default MED value 0 on a BGP indicates that the route is not specified. If the "best-route med-none as-maximum" command is configured, the maximum MED value that can be set is 4294967295.

Correct Answer: ACD

QUESTION 5

RTA is a source's DR and RTB is an RP. A multicast source sends multicast data to RTA but RTB cannot find any information about the multicast source (registered by using the PIM Register message). Why? (Select 3 answers)

A. RTB has no unicast routes to RTA,

B. RTA fails to learn RP information.

C. RTA has no unicast routes to RTB.

D. The RP learned by RTA is not RTB.

Correct Answer: BCD

[H12-221 Practice Test](#)

[H12-221 Study Guide](#)

[H12-221 Exam Questions](#)