



H12-221^{Q&As}

HCIP-Routing & Switching-IERS V2.5

Pass Huawei H12-221 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/h12-221.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Huawei
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Which of these statements is false when using the import-route command to import routes into BGP?

- A. The import-route command can import IGP routes, direct routes, and static routes into BGP.
- B. A process ID must be specified if OSPF routes or RIP routes are imported into BGP.
- C. By default, the origin attribute of imported routes is IGP.
- D. Routing policies filters the routes imported from other routing protocols.

Correct Answer: C

QUESTION 2

Which of the following concepts should a network administrator know while using VLSM technology for subnetting?
(Select 3 answers)

- A. A subnet is composed of only summarized routes.
- B. A subnet can address a host or be further subnetted.
- C. The routing updates must carry subnet mask information.
- D. The summarized networks must have the same high-order bit.

Correct Answer: BCD

QUESTION 3

Which of the following route entries matches ACL 2001 that is defined below?

1.0.0.0/8,1.2.0.0/16,1.2.3.0/24,1.2.4.0/24,1.2.5.0/24, 1.2.6.0/24,1.2.7.0/24,1.2.8.0/24 ACL 2001 Basic ACL 2001,1 rule
Ad\\'s step is 5 rule 0 permit source 1.2.0.0 0.0.254.255

- A. 1.2.3.0/24,1.2.4.0/24, 1.2.5.0/24, 1.2.6.0/24,1.2.7.0/24,1.2.8.0/24
- B. 1.0.0.0/8 ,1.2.0.0/16,1.2.3.0/24,1.2.4.0/24,1.2.5.0/24, 1.2.6.0/24,1.2.7.0/24,1.2.8.0/24
- C. 1.2.3.0/24,1.2.5.0/24,1.2.7.0/24
- D. 1.2.0.0/16,1.2.4.0/24,1.2.6.0/24,1.2.8.0/24

Correct Answer: D

QUESTION 4

What does the IP-prefix-filter "ip ip-prefix test index 10 deny 0.0.0.0 0 less-equal 32" mean?



- A. Matching only default routes
- B. Matching all routes
- C. Denying only default routes
- D. Denying all routes

Correct Answer: D

QUESTION 5

Why is BGP run by core routers in transit AS?

- A. To eliminate route loops
- B. To ensure the transmission of data packets to the external destination addresses
- C. To optimize network within an AS
- D. To ensure only one export

Correct Answer: B

[H12-221 Practice Test](#)

[H12-221 Study Guide](#)

[H12-221 Exam Questions](#)