



H12-222^{Q&As}

HCIP-Routing & Switching-IENP V2.5

Pass Huawei H12-222 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/h12-222.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Huawei
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Which of the following command is used to configure the listening address of the SDN controller?

- A. openflow listening-ip 1.1.1.1
- B. sdn controller souce-address 1.1.1.1
- C. controller-ip 1.1.1.1
- D. sdn listening-ip 1.1.1.1

Correct Answer: A

QUESTION 2

When two devices with the same priority preempt the master, the device which the interface has a smaller IP address should be selected as the master.

- A. TRUE
- B. FALSE

Correct Answer: B

QUESTION 3

Which of the following statements regarding the delay and jitter are true? (Multiple Choice)

- A. The E2E delay is the sum of processing delays and queue delays.
- B. The jitter occurs because the E2E delays of each packet are different.
- C. The jitter is relevant to the delay, A small delay indicates a small jitter, A large delay indicates a large jitter.

Correct Answer: BC

QUESTION 4

Which of the following methods is used to control internal employees and guests access networks in the Agile Controller wireless access control scenario?

- A. Access control by user name
- B. According to whether the wireless terminal MAC address registration control access
- C. Access control by SSID (different SSIDs for internal employees and guests)
- D. Access control by wireless terminal type



Correct Answer: C

QUESTION 5

In the DiffServ domain, the core router typically only performs simple traffic classification.

A. TRUE

B. FALSE

Correct Answer: A

[H12-222 VCE Dumps](#)

[H12-222 Study Guide](#)

[H12-222 Exam Questions](#)