

H12-311^{Q&As}

HCIA-WLAN V3.0

Pass Huawei H12-311 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.passapply.com/h12-311.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Huawei
Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers



https://www.passapply.com/h12-311.html

2024 Latest passapply H12-311 PDF and VCE dumps Download

QUESTION 1

The common reason why an AP cannot obtain an IP address is (ABC) (Select 3 Answers).

- A. The address pool is incorrectly configured.
- B. The address pool is exhausted.
- C. Intermediate network problems.
- D. POE power failure.

Correct Answer: ABC

QUESTION 2

The correct statement about WDS is (Select 2 Answers)?

- A. Connect two separate LAN segments through a wireless bridge and provide data transmission between them
- B. WDS uses the 2.4GHz band as the bridge frequency band by default.
- C. Scalability is good, and there is no need to lay new wired connections and deploy more APs
- D. Huawei indoor AP does not support WDS function.

Correct Answer: AC

QUESTION 3

When did the initial application of the wireless network begin?

- A. During a major war
- B. During the Second World War
- C. Late 20th century
- D. After 2000

Correct Answer: B

QUESTION 4

There are four wireless STAs. Which workstations occupy the channel preferentially according to the following backoff time parameters?

B. 7



https://www.passapply.com/h12-311.html 2024 Latest passapply H12-311 PDF and VCE dumps Download

C. 4

D. 6

Correct Answer: C

QUESTION 5

- D. After passing, C. passing, after not following the following two-link backup networking, the description is incorrect.
- A. Dual-link backup technology improves network reliability and ensures business stability in important nodes of the network.
- B. The standby AC should always be in the power-on state.
- C. In the process of establishing an active/standby link between the AP and the active and standby ACs, the link established first must be the primary link.
- D. The network service configuration on the active and standby ACs must be consistent.

Correct Answer: C

H12-311 PDF Dumps

H12-311 Practice Test

H12-311 Exam Questions