



# H12-721<sup>Q&As</sup>

HCIP-Security-CISN V3.0

## Pass Huawei H12-721 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/h12-721.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Huawei  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





### QUESTION 1


USG device can be factory reset by holding down the Reset button for 1-3 seconds to recover the console password.

- A. TRUE
- B. FALSE

Correct Answer: B

### QUESTION 2

IPsec tunneling is used as a backup connection as shown below: Which of the following statements are true about the tunnel interface? (Choose two answers)



- A. IPsec security policy should be applied to the tunnel interface
- B. Protocol for the Tunnel Interface must be GRE.
- C. Tunnel interface needs to be configured on the IP address and the IP address of the gateway. The external network IP address of the outgoing interface must be in the same network segment.
- D. Tunnel interfaces can be added to any security zone, provided they have the appropriate inter-domain security policies.

Correct Answer: AD

### QUESTION 3

USG remote capture device configuration functions in a way that the device can grab packets downloaded to the device. Users can download to a local service via FTP and use Firewall Packetyzer to analyze packet.


- A. TRUE
- B. FALSE

Correct Answer: A



#### QUESTION 4

In IPsec standby backup scenarios shown below, the gateway B is using IPsec tunneling technology and gateway A build IPsec VPN.



A. TRUE

B. FALSE

Correct Answer: B

#### QUESTION 5

Which of the following statements is correct about the blacklist? (Choose three answers)

A. When you log into a device and incorrectly enter the username/password three times, the IP address of the administrator will be added to the blacklist via Web or Telnet.

B. Blacklist is divided into static and dynamic.

C. When the device is perceived to have behavioral characteristics of packets to a user's attempt to attack a specific IP address, it will use a dynamic IP address blacklist technology.

D. When the packet reaches the firewall, the first thing to check for is packet filtering, and then it will match the blacklist.

Correct Answer: ABC

[H12-721 Study Guide](#)

[H12-721 Exam Questions](#)

[H12-721 Braindumps](#)