



# H12-811<sup>Q&As</sup>

HCIA-Datacom V1.0

## Pass Huawei H12-811 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/h12-811.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Huawei  
Official Exam Center


-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





### QUESTION 1

The priority of the LACP protocol is shown in the figure. Switch A and Switch B adopt LACP mode link aggregation, and all interfaces are added to the link aggregation group. At the same time, set the maximum number of active ports to 3. Then which port of switch A is not an active port ? ( ) (Single-choice question)




- A. G0/0/0
- B. G0/0/1
- C. G0/0/2
- D. G0/0/3

Correct Answer: D

### QUESTION 2

The network shown in the figure below. Two switches are connected by four links. COPPER refers to electrical interface and FIBER refers to optical interface. Then which two interfaces can realize link aggregation? ( ) (Single-choice question)



- A. G0/0/2 and FE0/0/3
- B. G0/0/3 and FE0/0/3
- C. G0/0/2 and G0/0/1
- D. G0/0/3 and G0/0/2

Correct Answer: D

### QUESTION 3

FIT AP can work independently without relying on A()



- A. True
- B. False

Correct Answer: B

---

#### QUESTION 4

Which of the following options describes the concept of the IEV architecture correct? (\*)

- A. MANO is composed of NFVO.VNFM and VIM.
- B. VFM. Virtual network function management, responsible for the life cycle management of VNF.
- C. VIM (Virtualised Infrastructure Manager) virtual resource management, responsible for the virtualization of infrastructure.
- D. NFVO (NEF Orchestrator). Responsible for business orchestration.

Correct Answer: ABCD

---

#### QUESTION 5

The network structure and OSPF partition are shown in the figure. In the figure, except for RTA., the routers RTB, RT and RT are ABR routers. ( )

(RTA) ip route-static 10.1.1.0 24 12.1.1.1 permanent

(RTA) ip route-static 10.2.2.0 24 13.1.1.1.

- A. True
- B. False

Correct Answer: B

---

[H12-811 Practice Test](#)

[H12-811 Study Guide](#)

[H12-811 Exam Questions](#)