



H12-821^{Q&As}

HCIP-Datacom-Core Technology V1.0

Pass Huawei H12-821 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/h12-821.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Huawei
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Which of the following statements regarding IGMPv1 and IGMPv2 are true?

- A. IGMPv2 supports only general query.
- B. IGMPv2 defines the Leave message type.
- C. IGMPv1 does not define the IGMP Leave message type.
- D. IGMPv1 supports general query.

Correct Answer: D

QUESTION 2

Which of the following statement regarding the display ospf peer command output is true?

```
<Huawei>display ospf peer
      OSPF Process 1 with Router ID 10.1.1.2
      Neighbors
Area 0.0.0.0 interface 10.1.1.2(GigabitEthernet1/0/0)'s neighbors
Router ID: 10.1.1.1      Address: 10.1.1.1
State: Full Mode:Nbr is Slave Priority: 1
DR: 10.1.1.1 BDR: None MTU: 0
Dead timer due in 38 sec
Retrans timer interval: 5
Neighbor is up for 00:00:04
Authentication Sequence: [ 0 ]
```

- A. Address: 10.1,1.1 Indicates that the local interface address is 10.1.1.1.
- B. Through negotiation during DD packet exchange, the local end becomes the slave.
- C. Router ID indicates that the local router ID is 10.1.1.1.
- D. The DR address is 10.1.1.1

Correct Answer: A

QUESTION 3

Which of the following statements regarding the BGP error display of a router false?



```
<HUAWEI>display bgp error
Error Type      : Peer Error
Date/Time      : 2010-03-22 12:40:39
Peer Address   : 10.1.1.5
Error Info     : Incorrect remote AS
```

- A. The error may be caused by the incorrect neighbor address.
- B. The neighbor address of this router is 10.1.1.5.
- C. Error Type indicates that the BGP error is caused by the neighbor relationship error.
- D. The error occurred at 12:40:39 on March 22, 2010.

Correct Answer: C

QUESTION 4


In the OSPF protocol, inter-area route calculation involves only Router LSA, Network LSA, and Summary LSA.

- A. TRUE
- B. FLASE

Correct Answer: A

QUESTION 5

As shown in the following figure, a new AP is deployed In dual link MSB networking (load balancing mode). Which AC will the connect to?



- A. AC1
- B. Random access
- C. None
- D. AC2

Correct Answer: C

[H12-821 VCE Dumps](#)

[H12-821 Practice Test](#)

[H12-821 Study Guide](#)