



H12-821^{Q&As}

HCIP-Datacom-Core Technology V1.0

Pass Huawei H12-821 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/h12-821.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Huawei
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

DRAG DROP

Drag the following VRRP states to the corresponding working mechanisms.

Select and Place:

Correct Answer:

QUESTION 2

Which of the following statements regarding DR/BDR are false?

- A. In a broadcast network, DR and BDR must be elected. A broadcast network without a DR or BDR cannot operate normally.
- B. DR others listen on the multicast address 224.0.0.5.
- C. All DR others establish neighbor relationships with DR and BDR only.



D. DR others listen on the network address 224.0.0.6.

Correct Answer: C

QUESTION 3

After which of the following parameters are modified does an IS-IS neighbor relationship need to re-established?

- A. The cost of an IS-IS interface is changed.
- B. The IP address of an ISIS interface is changed.
- C. The level of an ISIS interface is changed.
- D. The interval at which an IS-IS interface sends IIH packets is changed.

Correct Answer: C

QUESTION 4

The Interface IP address and VRRP virtual IP address can be the same.

- A. TRUE
- B. FALSE

Correct Answer: A

QUESTION 5

Which of the following statements about multicast packet forwarding is true?

- A. If a multicast data packet fails the RPF check, the packet must have been received through a sub-optimal interface. However, this interface still receives and forwards the multicast traffic downstream.
- B. IGMP snooping cannot control the scope of multicast traffic flooding on a Layer 2 network.
- C. The source address of a multicast packet is a unicast address.
- D. In multicast transmission, the destination address of a packet can be the unicast address of a host.

Correct Answer: A

[Latest H12-821 Dumps](#)

[H12-821 PDF Dumps](#)

[H12-821 VCE Dumps](#)