



H12-821^{Q&As}

HCIP-Datacom-Core Technology V1.0

Pass Huawei H12-821 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/h12-821.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Huawei
Official Exam Center

- ⚙ **Instant Download** After Purchase
- ⚙ **100% Money Back** Guarantee
- ⚙ **365 Days** Free Update
- ⚙ **800,000+** Satisfied Customers





QUESTION 1

To prevent inter-area routing loops, OSPF does not allow advertising routing information between two non-backbone areas and allows sing routing information only within an area or between the backbone area and a non-backbone area. Therefore, each ABR must be connected to the backbone area.

- A. TRUE
- B. FALSE

Correct Answer: A

QUESTION 2

In a route-policy, which of the following BGP attributes can be used in apply clauses?

- A. MED
- B. AS_Path
- C. Tag
- D. Local-Preference

Correct Answer: ABD

QUESTION 3

Which of the following statement regarding the display ospf peer command output is true?

```
<Huawei>display ospf peer
      OSPF Process 1 with Router ID 10.1.1.2
      Neighbors
Area 0.0.0.0 interface 10.1.1.2(GigabitEthernet1/0/0)'s neighbors
Router ID: 10.1.1.1      Address: 10.1.1.1
State: Full Mode:Nbr is Slave Priority: 1
DR: 10.1.1.1 BDR: None MTU: 0
Dead timer due in 38 sec
Retrans timer interval: 5
Neighbor is up for 00:00:04
Authentication Sequence: [ 0 ]
```

- A. Address: 10.1,1.1 Indicates that the local interface address is 10.1.1.1.
- B. Through negotiation during DD packet exchange, the local end becomes the slave.
- C. Router ID indicates that the local router ID Is 10.1.1.1.



D. The DR address is 10.1.1.1

Correct Answer: A

QUESTION 4

In BGP, the origin attribute of the routes imported using the import-route command is incomplete.

A. TRUE

B. FALSE

Correct Answer: A

QUESTION 5

Which of the following statements regarding the stateful inspection firewall is true?

A. When the stateful inspection firewall checks packets, packets of one same connection are not correlated.

B. Because UDP is a connectionless protocol, so the stateful inspection firewall cannot match UDP packets with the status table.

C. The stateful inspection firewall only needs to match the first data packet against a rule, and the subsequent packets of the connection are matched directly in the state table.

D. The stateful inspection firewall needs to match the rules for each incoming packet.

Correct Answer: C

[H12-821 VCE Dumps](#)

[H12-821 Practice Test](#)

[H12-821 Study Guide](#)