



H12-831^{Q&As}

HCIP-Datacom-Advanced Routing & Switching Technology V1.0

Pass Huawei H12-831 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/h12-831.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Huawei
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1


Which of the following statements about IS-IS (IPv6) is true?

- A. to support IPv6 Processing and counting of routes BJS-IS exist 129 TLV added in NLPID
- B. IS-IS Working at the data link layer only needs to add new TLV ready to support Pv6
- C. to support IPv6 Processing and calculation of routes IS-IS newly added TLV 232236
- D. by default JS-IS Turn on the multi-topology feature

Correct Answer: ABC

QUESTION 2

As shown in the figure, SF is enabled on all interfaces of the router, the cost value of the link is marked in the figure, and the Loopback0 interface of R2 is advertised in area 1, then the cost value of R1 reaching 10.0.2.2/32 is?



- A. 100
- B. 150
- C. 50



D. 200

Correct Answer: D

QUESTION 3

In OSPF, the ABR will convert all type 7 LSAs in the NSSA area to type 5 LSAs.

A. True

B. False

Correct Answer: B

QUESTION 4

When MPLS VPN is deployed, the OSPF VPN Route Tag (VPN Route Tag) is not transmitted in the extended community attribute of MP-BGP, but the local concept is only meaningful on PE routers that receive MP-BGP routes and generate OSPF LSAs.


A. True

B. False

Correct Answer: B

QUESTION 5

In the topology shown in the figure, the entire network runs OSPFv3 in the case of attracting external routes, which type of LSA?





- A. Intra-Area-Prefix-LSA
- B. Link-LSA
- C. Inter-Area-Router LSA
- D. Inter-Area-Prefix-LSA

Correct Answer: C

[H12-831 VCE Dumps](#)

[H12-831 Practice Test](#)

[H12-831 Braindumps](#)