



# H12-831<sup>Q&As</sup>

HCIP-Datacom-Advanced Routing & Switching Technology V1.0

## Pass Huawei H12-831 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/h12-831.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Huawei  
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





### QUESTION 1

In the multi-level RR scenario, a large number of secondary RRs will be connected to the primary RR, which may lead to BGP of the primary RR. The routing table overflows, what method can be used to reduce the risk of overflowing the routing table of the advanced RR BGP?

- A. ORF
- B. route aggregation
- C. routing control
- D. set the sameCluster-ID

Correct Answer: B

---

### QUESTION 2

Regarding MP-BGP, which of the following descriptions is wrong?

- A. PEandCEpass betweenBGPWhen interactive routing, you need toCEup for eachVPNinstance creationBGPprocess
- B. MP-BGPthe message type,VPNv4route advertisement strategy andBGP-4same
- C. MP-BGPneeds to beVPNv4route assignment private network label
- D. MP-BGPpass throughMP\_REA, CH\_NLRIandMP\_UREA, CH\_NLRItwo properties to advertiseVPNv4routing

Correct Answer: A

---

### QUESTION 3

The security protection actions that a secure MAC address can perform does not include which of the following?

- A. Protect
- B. Restrict
- C. Shutdown
- D. Remark

Correct Answer: D

---

### QUESTION 4

A network engineer entered the following information when troubleshooting OSPF faults. Based on this, you can judge



what causes the adjacency relationship to fail to be established normally?

OSPF Process 1 with Router ID 10.0.12.2			
OSPF error statistics			
Interface: GigabitEthernet0/0/0 (10.0.122)			
General packet errors:			
0	Bad version	0	Bad checksum
0	Bad area id	0	Bad authentication type
0	Bad authentication key	0	Unknown neighbor
0	Bad net segment	0	Extern option mismatch
0	Router id confusion		
HELLO packet errors:			
2	Netmask mismatch	0	Hello timer mismatch
0	Dead timer mismatch	0	Invalid Source Address

- A. Authentication passwords do not match
- B. Inconsistent area type
- C. Hello timer mismatch
- D. interface IP inconsistent address masks

Correct Answer: D

#### QUESTION 5

What is the default aging time of the MAC address table of Huawei switches?

- A. 300
- B. 500
- C. 400
- D. 5

Correct Answer: A

[Latest H12-831 Dumps](#)

[H12-831 Study Guide](#)

[H12-831 Braindumps](#)