



H12-891^{Q&As}

HCIE-Datacom V1.0

Pass Huawei H12-891 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/h12-891.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Huawei
Official Exam Center


-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

As shown in the figure, PC1 and PC2 are hosts that belong to the same network segment, below about between PC1 and PC2 What are the correct descriptions of IPv6 neighbor states?



- A. If the MAC address information of PC2 can be queried on PC1, the neighbor relationship may be Stale
- B. If PC2's MAC address information can be queried on PC1, the neighbor relationship may be Probe
- C. There are five possible neighbor states between PC1 and PC2: Incomplete, Reachable, and Stale, Delay, Probe
- D. If the MAC address information of PC2 can be queried on PC1, the neighbor relationship must be Reachable

Correct Answer: AC

QUESTION 2

Regarding the Stub region and the Totally Stub region of the OSPF protocol, the following statement is correct (multiple choice)

- A. After modifying the original Stub area to a Totally Stub area, the number of LSAs in the LSDB of each router in the region will definitely be reduced
- B. ASBR cannot be present in either the Stub zone or the Totally Stub zone
- C. When you modify the original Stub area to a Totally Stub region, the number of LSAs propagating within the region will definitely decrease
- D. If there are two ABR in the Totally Stub zone, each ABR sends an LS ID of 0000 to the router in the zone LSA

Correct Answer: BD

QUESTION 3

Protocols with TCP ports 443, 179, 137, 110, and 23 are, in order: radio


- A. Finger, DHCP Server, NetBios Name Server, POP3, TelnetB
- B. LDAP, SNMP, TFTP, POP3, Telnet
- C. HTTPS, SNMP, POP3, DNS, Telnet
- D. HiPS, BGP, NetBios Name Server, POP3, TelnetE. BGP, POP3, SNMP, TFTP, Teinet



Correct Answer: D

QUESTION 4

As shown in the figure,



all interfaces of the router have OSPF turned on, and the COST value of the link is identified in the figure. R2's loopback interface advertises a cost in region I, then R1 reaches 10.0.2.2/32. The value is

A. 200

Correct Answer: A

QUESTION 5

Two VTEPs in an VXLAN can identify a VXLAN tunnel, and this VXLAN tunnel between the VTEPs will be covered by two NDEs is common to all VNI.

A. True

B. False

Correct Answer: A

[H12-891 VCE Dumps](#)

[H12-891 Exam Questions](#)

[H12-891 Braindumps](#)