H12-891^{Q&As}

HCIE-Datacom V1.0

Pass Huawei H12-891 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.passapply.com/h12-891.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Huawei
Official Exam Center

⚙ **Instant Download** After Purchase

⚙ **100% Money Back** Guarantee

⚙ **365 Days** Free Update

⚙ **800,000+** Satisfied Customers

QUESTION 1

What are the common ways to learn routing in BGP? (Multi-select)

A. receives neighbor routing information

B. Introduce static routes

C. BGP routing for other AS is introduced

D. Introduced Direct Route

Correct Answer: ABD

QUESTION 2

As shown in the figure, a company wants to achieve secure mutual access between the head office and branches through MPLSVPN, and at the same time requires that the IPN traffic of the branch bank must be forwarded through the head office to achieve traffic monitoring

A. VPN routing information can be exchanged between A. CE and PE using BGP messages

B. When Hub-CE passes routing information with Hub-PE, you need to configure a route on Hub-PE that allows receiving AS numbers to be repeated 1 time to receive routes published by Hub-CE

C. Between Hub-CE and Hub-PE, and between Spoke-PE and Plan-CE, routing information can be exchanged using the OSPF protocol

D. An MP-IBGP peer relationship is established between Spoke-PE and THE VPN routing information is exchanged.

Correct Answer: D

QUESTION 3

For a non-directly connected EBGP neighbor to establish properly, what configurations must be included as follows?

A. peer ebgp-max-hop

B. peer ignore

C. peer as-number

D. peer connect-interface

Correct Answer: AC

QUESTION 4

What mechanisms or techniques can VRRP combine with to monitor uplink connectivity?

A. IP-link

B. BFD

C. NQA

D. Interface trace

Correct Answer: BCD

QUESTION 5

ICMPv6 has two types: Error Messages and Information Messages.

A. TRUE

B. FALSE

Correct Answer: A