



H13-621^{Q&As}

HCNP-Storage-CUSN(Constructing Unifying Storage Network)

Pass Huawei H13-621 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/h13-621.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Huawei
Official Exam Center

- ⚙ **Instant Download** After Purchase
- ⚙ **100% Money Back** Guarantee
- ⚙ **365 Days** Free Update
- ⚙ **800,000+** Satisfied Customers





QUESTION 1

The default mode of FC host interface and host communication is arbitrated loop in SAN storage array, the host side HBA card usually adopts adaptive communication mode

- A. True
- B. False

Correct Answer: A

QUESTION 2

In the treatment of SAN storage system RAID failure, will often set the hot plate of system for free disk, mainly to avoid the system automatically start refactoring.

- A. True
- B. False

Correct Answer: A

QUESTION 3

In the process of storage array implementing incremental LUN copy, the host can\\'t read and write the target LUN.

- A. True
- B. False

Correct Answer: A

QUESTION 4

The ISM equipment management software support: SMI-S, SNMP and other protocols.

- A. True
- B. False

Correct Answer: A

QUESTION 5

SAN working conditions can seriously influence the reliability of SAN , as the most vulnerable parts of SAN system, hard disk is easy to failure under the condition of high temperature, high humidity and dust and electrostatic. Hard disk frequently failure will directly affect the reliability of system.



A. True

B. False

Correct Answer: A

[H13-621 PDF Dumps](#)

[H13-621 VCE Dumps](#)

[H13-621 Exam Questions](#)