



H13-629_V2.0^{Q&As}

HCIE-Storage (Written)v2.0

Pass Huawei H13-629_V2.0 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.passapply.com/h13-629_v2-0.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Huawei Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

When Replication Director creates a protection group to protect LUNs, you can see that there is no LUN on the interface. Which of the following may be the cause?

- A. There is a problem with the storage initiator configuration.
- B. There is a problem with the storage LUN configuration.
- C. There is a problem with the RD software configuration.
- D. There is a problem with the remote replication configuration.

Correct Answer: D

QUESTION 2

EXT3 is the third-generation extended file system commonly used in the Linux operating system. Which of the following statements is correct regarding the EXT3 file system?

- A. block is composed of a number of consecutive areas, block number starting from 1, the overall number, grouping
- B. Each i node corresponds to a 1GE file or folder, which stores the description file size, file storage location and other information
- C. The block group consists of a number of consecutive blocks, the number within the block group is determined by the block size
- D. The superblock stores the basic information about the EXT3 file system

Correct Answer: A

QUESTION 3

An OceanStor 18000 storage system carries the VDI service. The read/write ratio of the front-end workload is 2:8. The customer requires 20,000 IOPS to be offered. 10k rpm SAS disks (assuming that the average seek time is 3 ms) are used, and RAID 5 is configured. In this scenario, which is the minimum number of disks that must be configured for the storage system?

- A. 600
- B. 408
- C. 387
- D. 550

Correct Answer: D



QUESTION 4

Customers purchased 3 RH228H v2 hosts (with LPE12002-AP_8G HBA with 2 FC ports), 2 Oceanstor VIS6600T (a total of eight four-port 8G FC interface card, two 4-port 1GE interface card, two 8-port 1GE switch module), two Huawei OceanStor S6800T, and 2 Brocade 300 switches to build VIS6600T 4-node cluster and pass two S6800Ts. The VIS6600T cluster is mirrored. Each of the three hosts needs a standard dual-switch redundancy network connected to the VIS6600T4 node. Each Brocade 300 Fiber Channel switches need to use which number of FC ports?

- A. 15
- B. 19
- C. 21
- D. 17

Correct Answer: B

QUESTION 5

Maintaining a persistent connection between host and storage, ESXi must support multipathing. Which of the following statements is incorrect regarding multipathing for VMware vSphere 5.5?

- A. In addition to path failover, multipathing also provides load balancing. Load balancing is the process of distributing I / O load across multiple physical paths.
- B. In the event of a path failover, the virtual machine I / O delays Nintendo pump by 60s.
- C. If the failover takes a long time to complete, the windows virtual machine may interrupt the I / O and eventually fail. To avoid this, set the windows virtual machine timeout to at least 30 seconds.
- D. When coordinating vmware NMP and any installed third-party MPP, the PSA (Pluggable Storage Architecture) performs load and unload multipathing plug-ins and handles physical path discovery and removal.

Correct Answer: C

[H13-629 V2.0 VCE Dumps](#)

[H13-629 V2.0 Exam Questions](#)

[H13-629 V2.0 Braindumps](#)