

H31-211^{Q&As}

Huawei certified Network Associate - HCDA (Carrier IP)

Pass Huawei H31-211 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.passapply.com/h31-211.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Huawei
Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers



https://www.passapply.com/h31-211.html

2024 Latest passapply H31-211 PDF and VCE dumps Download

QUESTION 1

Which of the following options is used to define the Ethernet subinterface 0.1.1 as a member of VLAN 100?

- A. [Router-Ethernet0/1.1]vlan trunk vid 100
- B. [Router-Ethernet0/1.1]port dotlq vid 100
- C. [Router-Ethernet0/1.1]vlan dotlq vid 100
- D. [Router-Ethernet0/1.1]vlan default vid 100

Correct Answer: C

QUESTION 2

What is the correct statement about free ARP? (multiple choice)

- A. By sending a free ARP, you can confirm whether the IP address has a conflict.
- B. The free ARP packet format belongs to the AR request packet.
- C. Free ARP helps update old IP address information
- D. The free ARP packet format belongs to the ARP reply packet.

Correct Answer: AB

QUESTION 3

The IP address 191.10.196.132 uses a natural mask. What is the network address of 191.10.196.132?

- A. 191.0.0.0
- B. 191.10.0.0
- C. 191.10.48.0
- D. 191.10.96.0

Correct Answer: B

QUESTION 4

What is the link between the switch and the switch?

- A. Access link
- B. Trunk link



https://www.passapply.com/h31-211.html

2024 Latest passapply H31-211 PDF and VCE dumps Download

C. Hybrid link

D. ISL link

Correct Answer: B

QUESTION 5

Regarding RIP route aggregation, what are the following statements correct? (multiple choice)

- A. Route aggregation refers to the route sent by different subnets in the same natural network segment to a natural mask when sent to other network segments.
- B. RIPv1 does not support route aggregation
- C. Huawei routers use RIPv2 to disable route aggregation by default.
- D. When all subnet routes need to be broadcasted, you can disable RIPv2 route aggregation.

Correct Answer: ABD

Latest H31-211 Dumps

H31-211 Practice Test

H31-211 Study Guide