



H31-611^{Q&As}

HCNA - SDN(Huawei Certified Network Associate - SDN)

Pass Huawei H31-611 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/h31-611.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Huawei
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Which of the following statements is true about the IS-IS backbone area?

- A. A router belongs to all areas.
- B. All routers belong to the same area.
- C. This area comprises a series of continuous L2 routers and L1-L2 routers.
- D. This area is central area connected to other areas.

Correct Answer: C

Reference: <https://www.sciencedirect.com/topics/computer-science/internal-router>

QUESTION 2

CE series switches on an SDN network cannot use service interfaces for stacking configuration.

- A. TRUE
- B. FALSE

Correct Answer: B

QUESTION 3

When a host shifts from one network to another, which of the following statements is true?

- A. You must change its IP address and MAC address.
- B. You must change its IP address, but not its MAC address.
- C. You must change its MAC address, but not its IP address.
- D. The MAC address and IP address do not need to be changed.

Correct Answer: D

QUESTION 4

Which of the following statements about NetStream data are true? (Choose all that apply.)

- A. When using the V5 format, NetStream can export data packets before traffic aggregation.
- B. When using the V5 format, NetStream can export data packets after traffic aggregation.
- C. When using the V8 format, NetStream can export data packets before traffic aggregation.



D. When using the V8 format, NetStream can export data packets after traffic aggregation.

Correct Answer: BC

Reference: <https://support.huawei.com/enterprise/en/doc/EDOC1000088753?section=j00e>

QUESTION 5

OpenFlow channel establishment and maintenance involves which of the following messages? (Choose all that apply.)

- A. Hello message
- B. Features Request message
- C. Echo Request message
- D. PortStatus message

Correct Answer: ABC

Reference: <https://support.huawei.com/enterprise/en/doc/EDOC1000102491?section=k007>

[Latest H31-611 Dumps](#)

[H31-611 VCE Dumps](#)

[H31-611 Study Guide](#)