



H31-611^{Q&As}

HCNA - SDN(Huawei Certified Network Associate - SDN)

Pass Huawei H31-611 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/h31-611.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Huawei
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

During SDN network fault locating, which of the following commands can be used to collect basic runtime information for datacom devices?

- A. display version
- B. display diagnostic-information
- C. display log
- D. display current-configuration

Correct Answer: B

Reference: <https://support.huawei.com/enterprise/en/doc/EDOC1000060368/1f5e57ad/display-commands>

QUESTION 2

Which of the following methods does not support traffic importing to the MPLS TE tunnel?

- A. Static routing
- B. Dynamic routing
- C. Automatic routing
- D. Policy-based routing

Correct Answer: B

Reference: <https://support.huawei.com/enterprise/en/doc/EDOC1000178173/b6870a3b/importing-traffic-to-an-mpls-te-tunnel>

QUESTION 3

Which of the following statements about SNMP are not true? (Choose all that apply.)

- A. SNMP is an application layer protocol that requires reliable TCP at the transport layer to provide services.
- B. SNMP is used to manage information transmitted between the two points, making it easy for administrators to perform operations.
- C. SNMP uses the client/server model.
- D. There are three SNMP protocol versions. Currently, only SNMPv3 supports community name-based security mechanisms.

Correct Answer: BC

Reference: <https://www.auvik.com/franklymsp/blog/network-basics-what-is-snmp/>



QUESTION 4

In OSPF, which of the following statements is true within a given area (area A)?

- A. The LSA generated by each router is the same.
- B. The LSDB of area A of each router is the same.
- C. The shortest path tree calculated based on the LSDB of each router is the same.
- D. The route calculated based on each router's shortest path tree is the same.

Correct Answer: C

QUESTION 5

The OpenFlow protocol in SDN architecture is led and actively promoted by the IETF.

- A. TRUE
- B. FALSE

Correct Answer: A

Reference: <https://www.mdpi.com/1999-5903/6/2/302/htm>

[H31-611 Practice Test](#)

[H31-611 Study Guide](#)

[H31-611 Exam Questions](#)