



# H31-611<sup>Q&As</sup>

HCNA - SDN(Huawei Certified Network Associate - SDN)

## Pass Huawei H31-611 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/h31-611.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Huawei  
Official Exam Center

- ⚙ **Instant Download** After Purchase
- ⚙ **100% Money Back** Guarantee
- ⚙ **365 Days** Free Update
- ⚙ **800,000+** Satisfied Customers





### QUESTION 1

Which of the following statements are true about the DIS in IS-IS? (Choose all that apply.)

- A. A DIS creates and updates pseudo nodes on a broadcast network.
- B. DIS election is unpredictable.
- C. When all IS priorities are the same within a LAN, the IS with the largest MAC address is elected as the DIS.
- D. DIS election on a broadcast network is held in preemption mode.

Correct Answer: AC

Reference: <https://support.huawei.com/enterprise/en/doc/EDOC1100055485/4110e8a/basic-protocols-ofis-is>

---

### QUESTION 2

Which of the following statements about NetStream logs are true? (Choose all that apply.)

- A. NetStream logs have V5, V8, and V9 formats. The difference between V5 and V9 is that V5 is fixed and does not support traffic aggregation, whereas V9 supports traffic aggregation and data format customization.
- B. NetStream packets use UDP encapsulation and unlike SFlow, NetStream does not support traffic sampling.
- C. A field within NetStream packets can distinguish whether traffic is inbound or outbound.
- D. The start time of a NetStream flow is the time that elapses between January 1, 1970 at 00:00:00 to the moment the flow is created and expressed in seconds.

Correct Answer: BC

---

### QUESTION 3

Which of the following are true about SDN? (Choose all that apply.)

- A. In the SDN architecture, the underlying switches need to provide only the most basic and simple functions.
- B. SDN is applicable to cloud computing providers and enterprises facing substantially increasing workloads/
- C. SDN's forwarding-control separation architectures standardize and simplify network devices.
- D. SDN cannot implement flexible and centralized control and cloudfield application awareness.

Correct Answer: BC

---

### QUESTION 4

A trunk port on a switch allows packets from VLANs 3, 4, and 5 to pass, but only packets from VLANs 3 and 4 have



tags. Which of the following may be the reason why packets from VLAN 5 do not have tags?

- A. The port PVID is 5.
- B. The port PVID is 3 and 4.
- C. During port configuration, the port trunk permit vlan 3 4 command is configured.
- D. GVRP is enabled on this port.

Correct Answer: B

---

#### QUESTION 5

Which of the following statements is true about the IS-IS backbone area?

- A. A router belongs to all areas.
- B. All routers belong to the same area.
- C. This area comprises a series of continuous L2 routers and L1-L2 routers.
- D. This area is central area connected to other areas.

Correct Answer: C

Reference: <https://www.sciencedirect.com/topics/computer-science/internal-router>

[H31-611 Practice Test](#)

[H31-611 Study Guide](#)

[H31-611 Braindumps](#)