



# HAAD-RN<sup>Q&As</sup>

HAAD Licensure Examination for Registered Nurses

**Pass HAAD HAAD-RN Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/haad-rn.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by HAAD  
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





### QUESTION 1

An elderly patient is admitted to the hospital with swollen ankles. The best way to limit edema of the feet is for the nurse to:

- A. Restrict fluids
- B. Apply bandages
- C. Elevate the legs
- D. Do passive range of motion exercises (ROM)

Correct Answer: C

---

### QUESTION 2

A patient arrived to the Post Anesthesia Care Unit (PACU) complaining of pain after undergoing a right total hip arthroplasty. Which of the following should the nurse do to assess the patient's level of pain?

- A. Determine the patient's position during surgery and how long the patient was in this position
- B. Inspect the dressing, note type and amount of drainage, and insure bandage adhesive is not pulling on skin
- C. Ask anesthesiologist what type of anesthesia patient received and last dose of pain medication
- D. Note location, intensity and duration of pain and last dose and time of pain medication

Correct Answer: D

---

### QUESTION 3

The patient is to receive 100 ml/hr of D5W through a micro drip. How many drops per minute should the patient receive?

- A. 25 gtts/min
- B. 30 gtts/min
- C. 100 gtts/min
- D. 200 gtts/min

Correct Answer: C

---

### QUESTION 4

Whilst recovering from surgery a patient develops deep vein thrombosis. The sign that would indicate this complication to the nurse would be:



- A. Intermittent claudication
- B. Pitting edema of the area
- C. Severe pain when raising the legs
- D. Localized warmth and tenderness of the site

Correct Answer: D

---

#### QUESTION 5

To remove soft contact lenses from the eyes of an unconscious patient the nurse should:

- A. Uses a small suction cup placed on the lenses
- B. Pinches the lens off the eye then slides it off the cornea
- C. Lifts the lenses with a dry cotton ball that adheres to the lenses
- D. Tenses the lateral canthus while stimulating a blink reflex by the patient

Correct Answer: B

[Latest HAAD-RN Dumps](#)

[HAAD-RN VCE Dumps](#)

[HAAD-RN Exam Questions](#)