



HAAD-RN^{Q&As}

HAAD Licensure Examination for Registered Nurses

Pass HAAD HAAD-RN Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/haad-rn.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by HAAD
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

A patient with a central venous line develops sudden clinical manifestations that include a decrease in blood pressure, an elevated heart rate, cyanosis, tachypnea, and changes in mental status. Which of the following is the most likely cause of these symptoms?

- A. An air embolism
- B. Circulatory overload
- C. Venous thrombosis
- D. Developing bacteremia

Correct Answer: A

QUESTION 2

A nurse has been working in a general hospital on the same medical unit for 6 years. The Behavioral Unit is desperately short staffed and the nurse is asked to work her shift in this other unit. What would be the expected response of the nurse to this request?

- A. "I will go to the unit and hopefully the behavioral health staff members will assist me with my assignment."
- B. "I cannot go. I have no previous behavioral health experience. I do not want to reduce the quality of patient care."
- C. "I have no previous behavioral health experience. I am willing to go and help with any duties that are similar to those I perform on my unit."
- D. "I should not be expected to float to another unit without a proper orientation. I will fill out an incident report if I am sent there."

Correct Answer: C

QUESTION 3

The physician orders 20 u of U-100 regular insulin. The only syringe on hand is a 1 ml tuberculin syringe. How many milliliters should be administered?

- A. 0.02 ml
- B. 0.2 ml
- C. 1 ml
- D. 2 ml

Correct Answer: B



QUESTION 4

A patient admitted to the hospital in hypertensive crisis is ordered to receive hydralazine (Apresoline) 20mg IV stat for blood pressure greater than 190/100 mmHg. The best response of the nurse to this order is to:

- A. Give the dose immediately and once
- B. Give medication if patient's blood pressure is > 190/100 mmHg
- C. Call the physician because the order is not clear
- D. Administer the dose and repeat as necessary

Correct Answer: A

QUESTION 5

While preparing for a kidney biopsy the nurse should position the patient:

- A. Prone with a sandbag under the abdomen
- B. Lateral opposite to biopsy site
- C. Supine in bed with knee flexion
- D. Lateral flexed knee-chest

Correct Answer: A

[Latest HAAD-RN Dumps](#)

[HAAD-RN PDF Dumps](#)

[HAAD-RN VCE Dumps](#)