



HAAD-RN^{Q&As}

HAAD Licensure Examination for Registered Nurses

Pass HAAD HAAD-RN Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/haad-rn.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by HAAD
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

A patient voided a urine specimen at 9:00 AM. The specimen should be sent to the laboratory before:

- A. 9:30 AM
- B. 10:00 AM
- C. 10:30 AM
- D. 11:00 AM

Correct Answer: A

QUESTION 2

A patient who has just had a miscarriage at 8 weeks of gestation is admitted to hospital. In caring for this patient, the nurse should be alert for signs of:

- A. Dehydration
- B. Subinvolution
- C. Hemorrhage
- D. Hypertension

Correct Answer: C

QUESTION 3

The nurse notes that there are no physician's orders regarding Fatima's post operative daily insulin dose. The most appropriate action by the nurse is to:

- A. Withhold any insulin dose since none is ordered and the patient is NPO
- B. Call the physician to clarify whether insulin should be given and at what dose
- C. Give half the usual daily insulin dose since she will not be eating in the morning
- D. Give the patient her usual daily insulin dose since the stress of surgery will increase her blood glucose

Correct Answer: B

QUESTION 4

The best time for the nurse to teach an anxious patient about the patient controlled analgesic (PCA) pump would be during which of the following stages of patient care?



- A. Post-operative
- B. Pre-operative
- C. Intraoperative
- D. Post anesthesia

Correct Answer: B

QUESTION 5

An 11 year old girl with a history of asthma arrives at the primary health clinic with signs/symptoms of shortness of breath, audible wheezing, nasal flaring and mild lip cyanosis. Your immediate nursing action is to:

- A. Assess respiratory distress and peak expiratory flow rate
- B. Take a blood sample to assess COlevels
- C. Instruct the parents to take the child immediately to hospital
- D. Sit the child comfortably and offer 2 puffs of ventolin stat

Correct Answer: A

[HAAD-RN Practice Test](#)

[HAAD-RN Exam Questions](#)

[HAAD-RN Braindumps](#)