



HAT-680^{Q&As}

HITACHI DATA SYSTEMS QUALIFIED PROFESSIONAL ? STORAGE
ADMINISTRATION

Pass Hitachi HAT-680 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/hat-680.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Hitachi
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

A storage administrator has been asked to use Hitachi Device Manager (HDvM) to provide information about storage utilization by hosts for an urgent meeting. When the report is created, several hosts have no utilization data associated with them. What is the reason for the missing data?

- A. The hosts do not have the HDvM agent installed.
- B. The hosts have not been refreshed.
- C. The storage system has not been refreshed.
- D. The storage system polling is not synchronized with the report creation.

Correct Answer: A

QUESTION 2

You are managing a Hitachi Device Manager environment and want to use the Element Manager to configure the Fibre Channel ports on a Hitachi VSP storage system. Which two Fibre Channel port operations are permitted? (Choose two.)

- A. Reset the port.
- B. Set the connection type.
- C. Set the port attribute.
- D. Set the port offline.

Correct Answer: BC

QUESTION 3

You want to use the Hitachi Command Suite dashboard to show only certain information. Which two reports would be displayed? (Choose two.)

- A. storage system alerts
- B. completed tasks
- C. datacenter utilization
- D. pool utilization

Correct Answer: AC

QUESTION 4



Which Hitachi Command Suite product would be installed on a server different from the one where the Hitachi Device Manager software resides?

- A. Tiered Storage Manager
- B. Tuning Manager
- C. Partition Manager
- D. Replication Manager

Correct Answer: B

QUESTION 5

You are a system administrator responsible for an installation of Hitachi Dynamic Provisioning (HDP) and want to receive threshold messages indicating that a user requires more space. Which Hitachi Device Manager CLI command do you use?

- A. ListPool
- B. ShowPool
- C. GetAlerts
- D. DPGetVols

Correct Answer: C

[HAT-680 PDF Dumps](#)

[HAT-680 VCE Dumps](#)

[HAT-680 Practice Test](#)