HCE-3210^{Q&As}

Hitachi Vantara Certified Specialist - NAS Solutions Architect

Pass Hitachi HCE-3210 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.passapply.com/hce-3210.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Hitachi Official Exam Center

Instant Download After Purchase

100% Money Back Guarantee

365 Days Free Update

800,000+ Satisfied Customers

QUESTION 1

You are designing a solution to replace a customer\\'s existing NetApp FAS3140. The customer uses Snapshot and SnapMirrorto provide local snapshots and DR protection. They perform a daily snapshot which is retained for 30 days and they execute SnapMirror on a 15 minute interval. In the event of a failover to the DR site, all the locally executed snapshots are available for use on the DR system. How should you configure snapshot rules with replication to provide equivalent capabilities?

A. on the source system that is by the object replication policy

B. on the source and target systems using two different object replication policies, one of which both snapshot rules

C. on the target system only by the object replication policy

D. on the source and target systems using a single object replication policy

Correct Answer: B

QUESTION 2

A customer wants to leverage the external storage capability of their VSP system with a Hitachi NAS Platform 4000 cluster. They are planning to attach a HUS 110 with SAS 7.2K drives to the VSP. According to HDS best practices, which three use cases are appropriate for this solution? (Choose three.)

A. home directories

B. OLTP Database

C. archive

D. backup target

E. VMware VDI desktops

Correct Answer: ACD

QUESTION 3

You have prepared a solution upgrade proposal for an existing Hitachi NAS Platform customer who is

planning to purchase additional nodes. While presenting to your customer, they ask about mixing models

within a cluster.

Which statement is correct?

A. A cluster must be made of the same models.

B. A cluster can be made of different models.

C. Mixing 3000 models within a cluster is supported.

D. All models can be clustered with each other.

Correct Answer: A

QUESTION 4

To increase resilience and maintain performance a customer wants to upgrade their Hitachi NAS Platform

two-node cluster to a three-node cluster.

What are two prerequisites? (Choose two.)

A. An additional cluster license is needed.

B. A NVRAM upgrade for mirroring must be performed.

C. 10 GbE switches are required for the cluster interconnect.

D. The 10 GbE cluster interconnect media must be single mode fiber.

Correct Answer: AC

QUESTION 5

You are planning a data migration from a distributed Windows file server environment to a Hitachi NAS

Platform 4000. You have discovered that some of the applications use hard-coded IP addresses. You

have also identified that login scripts are used to map network drives for the end users.

Which two methods should you use to minimize impact to users? (Choose two.)

A. Modify the login scripts to point to the new location.

B. Use CNAME records to preserve the IP addresses for hard-coded applications.

C. Use the same IP addresses on the EVS as the original server for applications.

D. Use CHS to present a unified namespace and transparently migrate the applications.

Correct Answer: AC