



# HCE-3210<sup>Q&As</sup>

Hitachi Vantara Certified Specialist - NAS Solutions Architect

## Pass Hitachi HCE-3210 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/hce-3210.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Hitachi  
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





### QUESTION 1

Your customer wants to issue administrative commands to a Hitachi NAS Platform 4000 over their data network using scripting.

What must you do?

- A. Change the firewall setting in SMU to allow access to the admin EVS.
- B. Assign an IP address to the admin EVS on the data network aggregate.
- C. Run the scripted commands against any existing file services EVS.
- D. Add an additional IP address to the file services EVS used by the clients.

Correct Answer: B

---

### QUESTION 2

A customer with a Hitachi NAS Platform wants to use a Hitachi VSP storage system. You need to gather information about the VSP and which storage is available. Which tool should you use to review this information?

- A. Hitachi Device Manager
- B. Hitachi Storage Navigator Modular 2
- C. Hitachi Cluster Manager
- D. Hitachi VSP manager

Correct Answer: A

---

### QUESTION 3

A customer plans to implement a four-node Hitachi NAS Platform 4000 cluster to replace their Linux clusters. To improve read response times, they want to have multiple copies of their files on different nodes in the cluster.

Which Hitachi NAS Platform feature will satisfy this requirement?

- A. Cluster Read Cache
- B. Cluster Write Cache



C. Data Migrator

D. Dynamic Read Balancing (DRB)

Correct Answer: A

---

#### QUESTION 4

You are working on a proposal for a VMware customer which includes a Hitachi NAS Platform 4000 in a two-node cluster with a single HUS 150 system attached. What are two best practices when architecting the solution? (Choose two.)

A. HDP should not be used with TFS.

B. Configure RAID-6 fortier0.

C. Dedicate HDP pools solely to the HNAS system.

D. Maintain a ratio of 1 or 2 HDP volumes for each RAID group that is used in the DP pool.

Correct Answer: CD

---

#### QUESTION 5

A customer is using CVL on their Hitachi NAS platform. When a migrated file is accessed, how does a tier of storage serve a file to a client?

A. Only the portion of the file requested by the client is recalled from the primary tier of storage

B. The entire file requested by the client is recalled to the primary tier of storage.

C. The file requested by the client is read directly from the second tier of storage.

D. The file requested by the client is recalled from the snapshot area of the file system.

Correct Answer: C

---

[Latest HCE-3210 Dumps](#)

[HCE-3210 Practice Test](#)

[HCE-3210 Study Guide](#)