



HCE-3210^{Q&As}

Hitachi Vantara Certified Specialist - NAS Solutions Architect

Pass Hitachi HCE-3210 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/hce-3210.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Hitachi
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

A customer wants to leverage the external storage capability of their VSP system with a Hitachi NAS Platform 4000 cluster. They are planning to attach a HUS 110 with SAS 7.2K drives to the VSP. According to HDS best practices, which three use cases are appropriate for this solution? (Choose three.)

- A. home directories
- B. OLTP Database
- C. archive
- D. backup target
- E. VMware VDI desktops

Correct Answer: ACD

QUESTION 2

You are architecting a Hitachi NAS Platform 4000 solution for a new customer, and they ask about initial storage pool creation and future expansions.

What are two HDS best practices? (Choose two.)

- A. Four SDs are recommended in a new storage pool.
- B. Two SDs are recommended in a new storage pool.
- C. If an initial storage pool was created with 2 SDs, the expansion would be 4 SDs.
- D. If an initial storage pool was created with 4 SDs, the expansion would be 4 SDs.

Correct Answer: AD

QUESTION 3

A customer is running Web messaging related applications using a Hitachi NAS Platform 4000. They are worried about data inconsistencies and would like to know how a WFS-2 file system can benefit their current environment.

Which two functions will provide an additional layer of data protection? (Choose two.)

- A. Use multiple checkpoints.



- B. Perform a quick rollback to a previous successful snapshot.
- C. Perform data recovery from the deleted file system.
- D. Execute the "consistency-check" command.

Correct Answer: AB

QUESTION 4

A customer with a Hitachi NAS Platform 3200 (source) would like to relocate all the data to a new Hitachi NAS Platform 4000 (destination) using Incremental File Replication with Transfer Primary Access (TPA). Which two are required before the data migration can take place? (Choose two.)

- A. The source and destination firmware levels of the HNAS systems must be compatible for replication.
- B. The external SMU must manage the source and destination nodes.
- C. The source and destination nodes must be connected to different storage systems.
- D. The clients of the source and destination nodes must have write access to the snapshots before and after the replication.

Correct Answer: AB

QUESTION 5

A customer is planning to implement active-active SyncDR with a Hitachi NAS Platform across two sites. What is the maximum supported distance?

- A. 10 km
- B. 25 km
- C. 62 km
- D. 100 km

Correct Answer: D