



HCE-3210^{Q&As}

Hitachi Vantara Certified Specialist - NAS Solutions Architect

Pass Hitachi HCE-3210 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/hce-3210.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Hitachi
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

A customer would like to implement an OLTP application using their Hitachi NAS Platform 4000. The Hitachi NAS Platform is connected to a Hitachi HUS 150 with SAS drives running firmware 0935/A or later. They want to achieve maximum performance. Considering the queue depth limitations on the Hitachi NAS Platform and Hitachi HUS 100 systems, what is the maximum number of active LUNs that should be assigned on each HUS target port?

- A. 16
- B. 32
- C. 64
- D. 128

Correct Answer: B

QUESTION 2

A customer with a Hitachi NAS Platform 3200 (source) would like to relocate all the data to a new Hitachi NAS Platform 4000 (destination) using Incremental File Replication with Transfer Primary Access (TPA). Which two are required before the data migration can take place? (Choose two.)

- A. The source and destination firmware levels of the HNAS systems must be compatible for replication.
- B. The external SMU must manage the source and destination nodes.
- C. The source and destination nodes must be connected to different storage systems.
- D. The clients of the source and destination nodes must have write access to the snapshots before and after the replication.

Correct Answer: AB

QUESTION 3

A Hitachi NAS cluster must provide CIFS services for a production Active Directory (AD) environment and also provide NFS services for Web Servers that reside in a DMZ. The DMZ network is isolated from production AD servers and uses its own host resolution services. Which licensed software feature is required to provide functional CIFS/NFS services for both environments?

- A. Cluster Name Space
- B. Mixed Mode
- C. Multi store



D. EVS Security

Correct Answer: D

QUESTION 4

A customer wants to know if their proprietary file extensions can be scanned by anti-virus software in their Hitachi NAS Platform environment. In addition, they require optimal throughput with scanning.

Which two actions will they need to take? (Choose two.)

- A. Add the proprietary extensions to be scanned.
- B. Include the extension on the exclude list.
- C. Use multiple scan engines.
- D. Use one scan engine.

Correct Answer: AC

QUESTION 5

You are designing a new Hitachi NAS Platform 4000 solution that will use Hitachi File Replication for DR protection. The production system will deploy deduplication across its file systems.

What must you take into account regarding the DR target file systems when architecting your proposal?

- A. Data cannot be deduplicated on the the DR file systems.
- B. Data will eventually be deduplicated on the DR file systems.
- C. Data is deduplicated in-line as it is replicated to the DR file systems.
- D. Data cannot be accessed on the DR target until the file systems are promoted.

Correct Answer: B
