



# HCE-3700<sup>Q&As</sup>

Hitachi Vantara Certified Expert - Performance architect

**Pass Hitachi HCE-3700 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/hce-3700.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Hitachi  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





### QUESTION 1

What are two benefits of placing transaction log files on RAID 1+0 disks for Microsoft SQL Server databases rather than RAID 5 disks? (Choose two.)

- A. Multiple transaction log files are supported.
- B. Faster recovery after disk hardware failure is realized.
- C. Capacity utilization rates are improved.
- D. Microsoft recommendations are followed.

Correct Answer: AB

---

### QUESTION 2

Which three key metrics are required for sizing applications? (Choose three.)

- A. cache read hit ratios
- B. IOPS
- C. I/O read/write ratios
- D. number of BED pairs
- E. port speed

Correct Answer: ABC

---

### QUESTION 3

You are deploying an external storage system and its connection to a VSP G1000. The VSP G1000 has four external pools. You must ensure balanced utilization of the external storage system parity groups within each pool.

What would you do to satisfy this requirement?

- A. Use only one external volume per external parity group with the default UVM queue depth.
- B. Slice each external parity group to provide a pool volume for each pool.
- C. Ensure that volumes from a parity group in an external system are exclusively associated with the same external parity group in the storage system connected to the host.
- D. Provide eight paths for each volume presented by the external storage system to the storage system connected to the host.

Correct Answer: C

---



#### QUESTION 4

When testing an external LUN with default mapping on two paths, performance appears constrained and the utilization of the RAID group in the external storage system never exceeds 35% busy no matter how many test threads are generated. You want to increase the utilization of the external RAID group.

Which two actions will accomplish this task? (Choose two.)

- A. Increase the external path LUN queue depth setting.
- B. Increase the number of LUNs mapped from the external RAID group.
- C. Change Cache Mode to "Disabled".
- D. Increase the server HBA LUN queue depth to 64.

Correct Answer: AC

---

#### QUESTION 5

Which three statements are true regarding the Hitachi external storage architecture? (Choose three.)

- A. Enabling Cache Mode increases exposure to problems with high Cache Write Pending.
- B. Enabling Cache Mode allows destaging asynchronously from host I/O.
- C. Enabling Cache Mode always improves performance.
- D. A System Option mode can force in sequence destaging even when destaging asynchronously.
- E. Disabling Cache Mode for an external LDEV eliminates the use of cache.

Correct Answer: ABD

[HCE-3700 PDF Dumps](#)

[HCE-3700 VCE Dumps](#)

[HCE-3700 Practice Test](#)