HCE-3700^{Q&As}

Hitachi Vantara Certified Expert - Performance architect

Pass Hitachi HCE-3700 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.passapply.com/hce-3700.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Hitachi Official Exam Center

QUESTION 1

Which three statements are true regarding a VSP G400 configuration for a Microsoft Exchange Server environment? (Choose three.)

A. RAID 1+0 is a recommended RAID level for the database volumes.

B. RAID 6 is a recommended RAID level for the database volumes.

C. HDP is a recommended configuration for database volumes.

D. Parity group concatenation is recommended.

E. Microsoft JetStress testing should be used to validate the required performance.

Correct Answer: BDE

QUESTION 2

A customer is considering buying a new VSP Midrange system with iSCSI front-ends. The system will be used to support existing Oracle databases and a new MS Exchange mail system. The existing customer\\'s LAN has enough resources to handle the iSCSI traffic. They have provided the required storage for Oracle and MS Exchange.

What I/O profile information is required to size the VSP system in this scenario? (Choose two.)

A. transactions per second collected from the Oracle databases

B. the planned amount of MS Exchange mailboxes and IOPS per user

C. the planned amount of e-mails per second the MS Exchange system will send and receive

D. IOPS and R/W ratio collected from the Oracle databases

Correct Answer: BD

QUESTION 3

What are two appropriate criteria for evaluating a batch job performance? (Choose two.)

A. elapsed time and/or throughput (MBs, IOPS)

B. storage response time

C. customer requirements

D. host initiators utilization

Correct Answer: AB

QUESTION 4

In a database environment, the system administrator complains that high write response times are triggering frequent automated alerts. However, utilization for processor, paths, and array groups is low. Database users are not complaining.

What causing this problem?

A. The RAID level is inappropriate.

B. The storage system has too few processors.

C. The storage media devices are too slow.

D. Asynchronous destaging of writes occurs in bursts.

Correct Answer: D

References: https://community.hitachivantara.com/thread/2557

QUESTION 5

Which two port options are bi-directional on a VSP G800? (Choose two.)

A. Replication-Target (RCU)

B. Open Target (TAR)

C. External Target (eLUN)

D. Mainframe (FICON)

Correct Answer: AB

References: https://knowledge.hitachivantara.com/Documents/Management_Software/
Configuration_Manager_REST_API/8.5.2/REST_API/Volume_allocation