



HCE-5420^{Q&As}

Hitachi Data Systems Certified Specialist - Content Platform

Pass Hitachi HCE-5420 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/hce-5420.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Hitachi
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

A customer has a HCP that is becoming full. They wrote data with a four week retention period and have not written any data in the last six months. They want to enable the disposition service. What will happen?

- A. Disposition would delete every object in the default namespace.
- B. Disposition would delete every object.
- C. Disposition would not delete any object.
- D. Disposition would duplicate every object in the default namespace.

Correct Answer: B

QUESTION 2

A customer's OS environment consists of 80% Windows and 20% UNIX. The customer has recently purchased a HCP solution and wants to restrict access to Windows systems in the 10.1.1.X IP range. What must be configured for the customer to start using the HCP with the Windows and UNIX clients?

- A. Enable both the NFS and CIFS protocols then add 10.1.1.0/0 to the CIFS allow list.
- B. Enable the NFS protocol and then add 10.1.1.0/0 to the CIFS allow list.
- C. Enable both the NFS and CIFS protocols then add 10.1.1.0/0 to the CIFS deny list.
- D. Enable the CIFS protocol and then add 10.1.1.0/0 to the CIFS deny list.

Correct Answer: C

QUESTION 3

Your customer wants a HCP 300 to be configured to provide maximum redundancy. Which data protection level do you recommend?

- A. DPL0
- B. DPL1
- C. DPL10
- D. DPL2

Correct Answer: D

QUESTION 4

What is the correct combination of HBA parameter settings for a HCP 500 SAN implementation?



- A. boot BIOS enabled, topology set to fabric point-to-point
- B. boot BIOS disabled, topology set to fabric point-to-point
- C. boot BIOS enabled, topology set to FC-AL
- D. boot BIOS disabled, topology set to FC-AL

Correct Answer: A

QUESTION 5

When performing HCP maintenance using PuTTY, what is used to forward the SSH keys?

- A. Pageant
- B. Pelican
- C. Polaris
- D. Proxy server

Correct Answer: A

[Latest HCE-5420 Dumps](#)

[HCE-5420 VCE Dumps](#)

[HCE-5420 Braindumps](#)