



HDPCD^{Q&As}

Hortonworks Data Platform Certified Developer

Pass Hortonworks HDPCD Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/hdpcd.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by
Hortonworks Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

Which one of the following classes would a Pig command use to store data in a table defined in HCatalog?

- A. org.apache.hcatalog.pig.HCatOutputFormat
- B. org.apache.hcatalog.pig.HCatStorer
- C. No special class is needed for a Pig script to store data in an HCatalog table
- D. Pig scripts cannot use an HCatalog table

Correct Answer: B

QUESTION 2

Which best describes how TextInputFormat processes input files and line breaks?

- A. Input file splits may cross line breaks. A line that crosses file splits is read by the RecordReader of the split that contains the beginning of the broken line.
- B. Input file splits may cross line breaks. A line that crosses file splits is read by the RecordReaders of both splits containing the broken line.
- C. The input file is split exactly at the line breaks, so each RecordReader will read a series of complete lines.
- D. Input file splits may cross line breaks. A line that crosses file splits is ignored.
- E. Input file splits may cross line breaks. A line that crosses file splits is read by the RecordReader of the split that contains the end of the broken line.

Correct Answer: A

Reference: How Map and Reduce operations are actually carried out

QUESTION 3

Assuming the following Hive query executes successfully:

```
from inputdata select context_ngrams(sentences(lines),  
array("you", "are", null), 80);
```

Which one of the following statements describes the result set?

- A. A bigram of the top 80 sentences that contain the substring "you are" in the lines column of the input data A1 table.
- B. An 80-value ngram of sentences that contain the words "you" or "are" in the lines column of the inputdata table.
- C. A trigram of the top 80 sentences that contain "you are" followed by a null space in the lines column of the inputdata table.



D. A frequency distribution of the top 80 words that follow the subsequence "you are" in the lines column of the inputdata table.

Correct Answer: D

QUESTION 4

You have written a Mapper which invokes the following five calls to the OutputCollector.collect method:

```
output.collect (new Text ("Apple"), new Text ("Red") ) ;
```

```
output.collect (new Text ("Banana"), new Text ("Yellow") ) ;
```

```
output.collect (new Text ("Apple"), new Text ("Yellow") ) ;
```

```
output.collect (new Text ("Cherry"), new Text ("Red") ) ;
```

```
output.collect (new Text ("Apple"), new Text ("Green") ) ;
```

How many times will the Reducer's reduce method be invoked?

A. 6

B. 3

C. 1

D. 0

E. 5

Correct Answer: B

Explanation: reduce() gets called once for each [key, (list of values)] pair. To explain, let's say you called:

```
out.collect(new Text("Car"),new Text("Subaru");
```

```
out.collect(new Text("Car"),new Text("Honda");
```

```
out.collect(new Text("Car"),new Text("Ford");
```

```
out.collect(new Text("Truck"),new Text("Dodge");
```

```
out.collect(new Text("Truck"),new Text("Chevy");
```

Then reduce() would be called twice with the pairs reduce(Car,)

reduce(Truck,)

Reference: Mapper output.collect()?

QUESTION 5



Which one of the following statements regarding the components of YARN is FALSE?

- A. A Container executes a specific task as assigned by the ApplicationMaster
- B. The ResourceManager is responsible for scheduling and allocating resources
- C. A client application submits a YARN job to the ResourceManager
- D. The ResourceManager monitors and restarts any failed Containers

Correct Answer: D

[HDPCD Study Guide](#)

[HDPCD Exam Questions](#)

[HDPCD Braindumps](#)