



# HP0-A116<sup>Q&As</sup>

HP ArcSight ESM 6.5 Security Administrator and Analyst

## Pass HP HP0-A116 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/hp0-a116.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





#### QUESTION 1

What stores information about logons, user actions, and the resulting events in the most concise way?

- A. Event annotations
- B. Session Lists
- C. Active Lists
- D. Cases

Correct Answer: B

---

#### QUESTION 2

At most, a zone can belong to how many networks?

- A. 0 (Zones do not belong to networks, zones contain networks.)
- B. 1
- C. 2
- D. as many as needed based on the Network Model

Correct Answer: B

---

#### QUESTION 3

Which statement is true about starting and stopping ArcSight SmartConnector services?

- A. They are started and stopped independently of the other ArcSight component services.
- B. The order in which they are started and stopped is based on event flow.
- C. How they are started and stopped depends on whether or not the ArcSight Manager is running.
- D. They are started and stopped in conjunction with the Oracle database services.

Correct Answer: A

---

#### QUESTION 4

Which statements are true about escalation levels? (Select two.)

- A. Custom escalation levels can be added at anytime.
- B. They must be defined separately for each notification type.



- C. New escalation levels are added to the beginning of an escalation level sequence.
- D. They are contained in notification group configurations.
- E. They must be created in the order in which you want escalation to proceed.

Correct Answer: BE

---

#### QUESTION 5

What is a bundle?

- A. a set of resources that makes up a package
- B. a data transmission containing SSL information
- C. a set of raw log events before they are parsed
- D. a container for one or more packages

Correct Answer: D

[HP0-A116 PDF Dumps](#)

[HP0-A116 Practice Test](#)

[HP0-A116 Braindumps](#)