



HP0-P25^{Q&As}

HP-UX 11i v3 Advanced System Administration

Pass HP HP0-P25 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/hp0-p25.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

Which HP Virtualization Continuum solutions require a hypervisor running in an HP-UX host OS? (Select three.)

- A. vPars V6
- B. Integrity VM V6 V
- C. nPars
- D. HP Serviceguard
- E. vPars V5
- F. Integrity VM V4

Correct Answer: ACE

QUESTION 2

A company is migrating three applications currently running on three separate HP-UX Integrity servers. The plan is to migrate them into a Superdome 2 Serv. three applications are business critical, and the main focus is the uptime, as any interruptions cause financial losses.

Which HP-UX virtualization technology provides the best solution?

- A. Create a single nPar.
- B. Create three nPars.
- C. Create three vPars
- D. Create three Integrity Virtual Machines

Correct Answer: C

QUESTION 3

For each item, choose whether the characteristic is a feature of vPars v5 or vPars v6.

Hot Area:



Implemented in firmware

| |
|----------|
| vPars v6 |
| vPars v5 |
| vPars v5 |
| vPars v6 |
| vPars v6 |

Requires at least 1 CPU core dedicated to the vPar hypervisor

| |
|----------|
| vPars v6 |
| vPars v5 |
| vPars v5 |
| vPars v6 |
| vPars v6 |

Supports shared and dedicated (un-virtualized) access to networking adapters

| |
|----------|
| vPars v6 |
| vPars v5 |
| vPars v5 |
| vPars v6 |
| vPars v6 |

Can be converted between a vPar and a Virtual Machine with a single command

| |
|----------|
| vPars v6 |
| vPars v5 |
| vPars v5 |
| vPars v6 |
| vPars v6 |


Administered via the Onboard Administrator

| |
|----------|
| vPars v6 |
| vPars v5 |
| vPars v5 |
| vPars v6 |
| vPars v6 |


Hot Area:




Implemented in firmware




Requires at least 1 CPU core dedicated to the vPar hypervisor




Supports shared and dedicated (un-virtualized) access to networking adapters



Can be converted between a vPar and a Virtual Machine with a single command




Administered via the Onboard Administrator




Correct Answer:




Implemented in firmware



Requires at least 1 CPU core dedicated to the vPar hypervisor




Supports shared and dedicated (un-virtualized) access to networking adapters



Can be converted between a vPar and a Virtual Machine with a single command



Administered via the Onboard Administrator



QUESTION 4

What is the unique partitioning feature of nPars?

- A. I/O sharing in cell-based servers
- B. Electrical isolation from other partitions
- C. VM isolation in blade-based servers
- D. Storage sharing in blade-based servers

Correct Answer: B



QUESTION 5

Which components form part of the HP-UX OS kernel? (Select three.)

- A. UFC
- B. Power Module
- C. EFI
- D. Scheduler
- E. Process Table
- F. BCH

Correct Answer: ACF

[HP0-P25 PDF Dumps](#)

[HP0-P25 VCE Dumps](#)

[HP0-P25 Study Guide](#)