



HP0-S41^{Q&As}

Building HP Server Solution

Pass HP HP0-S41 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/hp0-s41.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Which HP feature uses always-on diagnostics to collect the server events history?

- A. HP Active Health System
- B. HP Sea of Sensor 3D
- C. HP Array Diagnostics
- D. HP Online Diagnostics

Correct Answer: A

QUESTION 2

What is a benefit of HP FlexibleUDM technology?

- A. Support for both fiber optic and copper connectivity on the same adapter
- B. Ability to partition one physical network adapter into multiple functions
- C. Ability to select the server's default Ethernet interface
- D. Support for multiple networking protocols on the same adapter

Correct Answer: A

QUESTION 3

Which HP technologies integrate with HP Intelligent Series Racks? (Select two.)

- A. HP Intelligent Power Distribution Units (iPDU)
- B. HP StoreServ inform Console
- C. HP Intelligent Management Center (IMC)
- D. HP Lights-Out Management (iLO)
- E. HP intelligent Provisioning

Correct Answer: CD

QUESTION 4

Where can you look to determine which memory module is reporting a fault condition?

- A. Integrated Management Log



- B. OAsyslog
- C. HPSIMauditlog
- D. iLO event log

Correct Answer: A

QUESTION 5

After installing DIMMs in all of the memory slots on a DL380p Gen8, only half of the memory can be seen. What is a probable cause of this issue?

- A. Hyper-threading is not enabled in the RBSU.
- B. Half of the DIMMs are a slower speed than the other half.
- C. Only one processor is installed.
- D. Half of the DIMMs are 135 volts, and the rest are 1.50 volts.

Correct Answer: B

[HP0-S41 Practice Test](#)

[HP0-S41 Study Guide](#)

[HP0-S41 Braindumps](#)