



HP0-Y52^{Q&As}

Applying HP FlexNetwork Fundamentals

Pass HP HP0-Y52 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/hp0-y52.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

A network administrator wants an HP switch to use an IP address that is always up for its Open Shortest Path First (OSPF) router ID. Which address meets this requirement?

- A. An IP address configured as the global management address
- B. An IP address on the interface for the default VLAN, which is typically VLAN
- C. An IP address on the VLAN 1 interface
- D. An IP address on a loopback interface

Correct Answer: D

QUESTION 2

An administrator is configuring OSPF on an HP ProVision switch. What is one of the steps that the administrator must take?

- A. The administrator must create an OSPF area before assigning a VLAN interface to that area.
- B. The administrator must set a global router ID before enabling OSPF.
- C. The administrator must set an OSPF router ID before enabling OSPF.
- D. The administrator must assign a VLAN interface its IP address before specifying the corresponding network in an OSPF area.

Correct Answer: A

QUESTION 3

Refer to the exhibit.

Exhibit: HP Comware switch configuration



```
[Sw-A] interface bridge -aggregation 1
[Sw-A-Bridge-Aggregation1] description Connection-to-Distribution-1
[Sw-A-Bridge-Aggregation1] link-aggregation mode dynamic
[Sw-A-Bridge-Aggregation1] quit
[Sw-A] interface g1/0/1
[SW-A-GigabitEthernet:1/0/1] port link-aggregation group 1
[SW-A-GigabitEthernet:1/0/1] quit
[SW-A] interface g1/0/2
[SW-A-GigabitEthernet:1/0/2] port link-aggregation group 1
[SW-A-GigabitEthernet:1/0/2] quit
[Sw-A] interface bridge-aggregation 1
[Sw-A-Bridge-Aggregation1] port link-type trunk
[Sw-A-Bridge-Aggregation1] port trunk permit vlan 100 200
```

Based on the exhibit output, which type of link aggregation is this?

- A. dynamic trunk protocol
- B. static trunking
- C. dynamic port group
- D. static LACP

Correct Answer: C

QUESTION 4

Refer to the exhibits.

Exhibit 1




Exhibit 2



Router A IP routing table

Destination Mask	Proto	NextHop	Interface
10.1.10.0/24	Direct	10.1.10.254	vlan10
10.1.20.0/24	Static	192.168.100.2	vlan1
192.168.100.0/30	Direct	192.168.100.1	vlan1

PC1 cannot reach PC2. Based on the exhibits, what could be causing this error?

- A. PC1 has the wrong IP address for its default gateway setting.
- B. Router A has a direct route, instead of a static route, to 10.1.10.0/24.
- C. The next hop address for the 10.1.20.0/24 route is incorrect.
- D. Router A has an invalid subnet mask for the VLAN 1 subnet.

Correct Answer: B

QUESTION 5

Which credential is required to validate SNMPv2c write requests?

- A. Community string
- B. Scheme
- C. MD5 authkey
- D. AAA authentication

Correct Answer: A

[HP0-Y52 PDF Dumps](#)

[HP0-Y52 Practice Test](#)

[HP0-Y52 Study Guide](#)