



# HP2-T29<sup>Q&As</sup>

Delta - Building HP Server Solutions

## Pass HP HP2-T29 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/hp2-t29.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





### QUESTION 1

How can you access smart storage administrator on an HP ProLiant gen9 server?

- A. By booting the server from smart CD
- B. Through the HP OneView Dashboard
- C. Through a special applet in the iLO4 Card
- D. Through HP intelligent provisioning

Correct Answer: D

- **Accessing ACU in the online environment**—This method requires an administrator to download the ACU executables and install them. You can run ACU online after launching the host operating system.



#### Note

The HP Smart Storage Administrator (SSA) configuration utility replaced the ACU starting with Intelligent Provisioning 1.50.

---

### QUESTION 2

Why would you update HP Intelligent Provisioning on Gen8/Gen9 ProLiant servers\`?

- A. to prepare deployment of new operating systems
- B. to update the SA agent used by Insight Control server provisioning
- C. to update microcodes in RBSU/UEFI
- D. to system performance improve the overall

Correct Answer: D

Reference:

[http://www8.hp.com/us/en/products/servers/proliant-servers.html#tab=TAB5?jumpid=hpr\\_r1002\\_usen\\_link1](http://www8.hp.com/us/en/products/servers/proliant-servers.html#tab=TAB5?jumpid=hpr_r1002_usen_link1)

---

### QUESTION 3

Which statement is true regarding Virtual Connect FlexFabric-20/40 F8 Modules\`?

- A. Four internal stacking links are provided.



- B. There is no support for full height blades
- C. There is mixed traffic support in paired uplinks.
- D. A maximum of six modules are allowed in a single enclosure.

Correct Answer: D

Explanation:

[Bay 1]	VC FlexFabric-20/40 F8	->	VC FlexFabric-20/40 F8 or Empty	[Bay 2]	FlexFabric Adapter 10/20 LOM
[Bay 3]	VC FlexFabric-20/40 F8	->	VC FlexFabric-20/40 F8 or Empty	[Bay 4]	FlexFabric Adapter 10/20 Mezzanine
[Bay 5]	VC FlexFabric-20/40 F8	->	VC FlexFabric-20/40 F8 or Empty	[Bay 6]	FlexFabric Adapter 10/20 Mezzanine
[Bay 7]	Empty	->	Empty	[Bay 8]	

#### QUESTION 4

Which terms describes the ability to merge multiple data protocol (eg. iSCSI, Fiber Channel, Ethernet) on the same server I/O Interface?

- A. Converged Networking
- B. Adaptive Infrastructure
- C. Software Defined Networking
- D. Unified Computing

Correct Answer: A

#### QUESTION 5

Your customer wants to tune the performance of Moonshot server clusters in their data center. Which is the optimal tool for this task?

- A. HP Insight Cluster Management Utility (CMU)
- B. HP Cluster Object Manager (COM)
- C. HP OneView
- D. HP ServiceGuard Manager

Correct Answer: A