



HP2-T29^{Q&As}

Delta - Building HP Server Solutions

Pass HP HP2-T29 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/hp2-t29.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Which transceiver type is needed to connect to 40Gb Ethernet networks?

- A. QSFP
- B. CX4
- C. XFP
- D. SFP+

Correct Answer: A

Reference:

http://h20564.www2.hp.com/hpsc/doc/public/display?docId=emr_na-c03707430andDocLang=enanddocLocale=en_USandjumpid=reg_r1002_usen_c-001_title_r0002

QUESTION 2

Which terms describes the ability to merge multiple data protocol (eg. iSCSI, Fiber Channel, Ethernet) on the same server I/O Interface?

- A. Converged Networking
- B. Adaptive Infrastructure
- C. Software Defined Networking
- D. Unified Computing

Correct Answer: A

QUESTION 3

Your customer needs the ability to remotely power on and power off ProLiant servers. What is the minimum level of iLO license that supports this requirement?

- A. iLO Essentials
- B. iLO Standard
- C. iLO Advanced
- D. iLO Scale-Out

Correct Answer: BC



QUESTION 4

Which interface uses RESTful to connect to management software application?

- A. HP oneView
- B. HP Insight Control
- C. HP System Insight Manager
- D. HP virtual connect Enterprise manager

Correct Answer: A

Explanation:

Open integration can address a variety of user needs, including:

- Automating standard workflows and troubleshooting steps
- Automating integrations (for example, a configuration management database)
- Connecting to service desks
- Monitoring resources, collecting data, and mapping and modeling of systems
- Exporting data to formats that suit individual needs
- Attaching custom databases, data warehouses, or third-party business intelligence tools
- Integrating in-house user customizations

OneView resource managers

OneView has a resource-oriented architecture that provides a uniform RESTful interface. Every resource has one uniform resource identifier (URI) and represents a physical device or logical construct. You can use REST APIs to manipulate resources.

QUESTION 5

Which component can be used to determine the RAID configuration for direct attached disks?

- A. UEFI
- B. Smart Storage Administrator (SSA)
- C. Online Diagnostics Utility
- D. Centralized Management Console (CMC)

Correct Answer: C



VCE & PDF

PassApply.com

<https://www.passapply.com/hp2-t29.html>

2024 Latest passapply HP2-T29 PDF and VCE dumps Download

[Latest HP2-T29 Dumps](#)

[HP2-T29 PDF Dumps](#)

[HP2-T29 Practice Test](#)