

HP2-Z33^{Q&As}

HP Unified Wired-Wireless Networks and BYOD

Pass HP HP2-Z33 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.passapply.com/hp2-z33.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers



https://www.passapply.com/hp2-z33.html

2024 Latest passapply HP2-Z33 PDF and VCE dumps Download

QUESTION 1

A network administrator wants to set a DNS proxy that forwards DNS traffic to a DNS Server on 10.1.1.1.

Which HP Comware command set, executed in system-view mode, is required to set this?

- A. dns resolve dns proxy dns server 10.1.1.1
- B. dns resolve dns proxy enable dns server 10.1.1.1
- C. dns proxy resolve dns server 10.1.1.1
- D. dns proxy enable dns server 10.1.1.1

Correct Answer: B

QUESTION 2

In an HP BYOD solution, what does DHCP fingerprinting provide?

- A. endpoint information
- B. web browser type
- C. SSID of the connection
- D. user account information

Correct Answer: A

QUESTION 3

Which action does the Wireless Intrusion Prevention System (WIPS) take when it detects that a device is sending frames with a fixed initialization vector?

- A. captures the frames for future analysis
- B. logs the event
- C. deauthenticates the user
- D. adds the device to the dynamic blacklist

Correct Answer: B

QUESTION 4

Refer to the exhibit.



https://www.passapply.com/hp2-z33.html

2024 Latest passapply HP2-Z33 PDF and VCE dumps Download

Roam Group				
Service	Disable	~		
IP Type	IPv4	~	Source Address	
Auth Mode		~	Auth Key	(1-16 character)
Member List				
IP Address			□ VLAN	(2-4094, Example: 3, 5-10
			Add	

What does the Auth Mode enable?

- A. sets the authentication mechanism(s) that must be used by clients if they wish to roam between access controllers
- B. adds message integrity checks to messages sent between access controllers in the roaming group
- C. ensures that all traffic between access controllers is encrypted
- D. ensures access controllers are authenticated before they join the roaming group

Correct Answer: B

QUESTION 5

Which components participate in the HP BYOD authentication process? (Select two.)

- A. HTTP agent
- B. Wireless Service Manager (WSM)
- C. User Access Manager DHCP agent
- D. User Access Manager
- E. BYOD portal server

Correct Answer: BD

Reference: http://h20195.www2.hp.com/V2/GetPDF.aspx%2F4AA4-5149ENW.pdf (page 4)

HP2-Z33 PDF Dumps HP2-Z33 VCE Dumps

HP2-Z33 Practice Test