



Fast Track - Applying HP FlexNetwork Fundamentals

# Pass HP HP2-Z37 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.passapply.com/hp2-z37.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

Instant Download After Purchase

100% Money Back Guarantee

😳 365 Days Free Update

800,000+ Satisfied Customers





### **QUESTION 1**

A company has a policy that requires all administrators to use secure access for in-band management. The administrator sets up SSH access on the HP Comware switches in the network to meet this requirement. The administrator enables SSH, and creates SSH keys and administrator accounts on the Comware switches. Every time the administrator attempts to log in to the switches the SSH access is denied. The VTYs are configured as: user-interface vty 0 15 authentication-mode password user privilege level 3 quit What is the correct authentication mode the administrator must configure on the VTYs of the Comware switch so the switch prompts for usernames and passwords?

- A. username
- B. aaa
- C. scheme
- D. local

Correct Answer: C

#### **QUESTION 2**

What is one reason to access the extended boot menu on an HP Cornware switch?

A. To access the switch CLI when you have forgotten the password

B. To set up the switch to be managed by HP Intelligent Management Center (IMC).

- C. To configure the switch initial IP address settings
- D. To configure the switch to implement Intelligent Resilient Framework (IRF)

Correct Answer: A

#### **QUESTION 3**

A network administrator wants to establish an LACP link aggregation between an HP Comware switch and an HP ProVision switch. Which settings should the administrator configure?

A. The link aggregation mode should be set to static on the Comware bridge interface, and the ProVision trunk should be set to lacp.

B. The link aggregation mode should be set to dynamic on the Comware bridge interface, and the ProVision trunk should be set to trunk.

C. The link aggregation mode should be set to static on the Comware bridge interface, and the ProVision trunk should be set to trunk.


D. The link aggregation mode should be set to dynamic on the Comware bridge interface, and the ProVision trunk should be set to lacp.



Correct Answer: D

## **QUESTION 4**

Refer to the Exhibit.



A network administrator needs to configure DHCP on SwitchA. Assume that SwitchA is an HPE Comware switch and is using the default settings for DHCP. The administrator configures the following information:

[SwitchA] dhcp relay server-group 1 ip 10.1.1.1 [SwitchA] interface vlan-interface 1 [SwitchA-Vlan-interface1] dhcp select relay [SwitchA-Vlan-interface1] dhcp relay server-select 1 [SwitchA-Vlan-interface1] quit

The administrator then has the DHCP client try to acquire addressing information, but the process fails. What should the administrator do to solve this problem?

- A. Execute the routing command on SwitchA.
- B. Execute the dhcp enable command on SwitchA.
- C. Configure DHCP relay on SwitchB.
- D. Enable DHCP Snooping on SwitchA.

Correct Answer: B

## **QUESTION 5**

An endpoint device requests an address by using DHCP. What is the first message the client sends to initiate this process?

- A. DHCPREQUEST
- **B. DHCPQUERY**
- C. DHCPDISCOVER
- D. DHCPOFFER
- Correct Answer: C



HP2-Z37 PDF Dumps

HP2-Z37 VCE Dumps

HP2-Z37 Practice Test