



# HP2-Z37<sup>Q&As</sup>

Fast Track - Applying HP FlexNetwork Fundamentals

## Pass HP HP2-Z37 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/hp2-z37.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





### QUESTION 1

Two switches are members in an active Intelligent Resilient Framework (IRF) virtual device. A network administrator joins a third switch to the IRF virtual device. Which switch is now the master?

- A. The current master of the IRF virtual device always remains the master.
- B. The switch with the lowest member ID always becomes the master.
- C. The switch with the lowest priority value always becomes the master.
- D. The switch with the highest priority value always becomes the master.


Correct Answer: D

---

### QUESTION 2

Refer to the exhibit.

Exhibit: Network diagram and routing tables



Router A			
Destination/Mask	Proto	NextHop	Interface
10.1.10.0/24	Direct	10.1.10.254	vlan10
10.1.20.0/24	Static	192.168.100.2	vlan1
192.168.100.9/30	Direct	192.168.100.1	vlan1

Router B			
Destination/Mask	Proto	NextHop	Interface
10.1.10.0/24	Direct	192.168.100.1	vlan1
10.1.20.0/24	Static	10.1.20.1	vlan20
192.168.100.9/30	Direct	192.168.100.2	vlan1

Why does traffic from PC1 fail to reach PC2?

- A. Only static routes have been enabled
- B. The subnet mask is incorrect on the routers
- C. There is no route back from router B
- D. A default gateway setting is incorrect

Correct Answer: C

### QUESTION 3



Refer to the Exhibit. Exhibit: HP Comware switch configuration. [Comware] vlan 100 [Comware-vlan100] quit [Comware] vlan 200 [Comware-vlan200] quit [Comware] interface g1/0/22 [Comware-GigabitEthernet1/0/22] port link-type trunk [Comware-GigabitEthernet1/0/22] port trunk permit vlan 100 200 [Comware-GigabitEthernet1/0/22] quit A network administrator configures the Comware switch, as shown in the exhibit. The network administrator then connects a cable from the Comware's g1/0/22 interface to port 5 on an HP ProVision switch. Which configuration will

successfully establish connection for VLAN 1, 100, and 200 between the two switches?

- A. ProVision (config) # vlan 100ProVision (config) # vlan 200ProVision (config) # vlan 100 tagged 5ProVision (config) # vlan 200 tagged 5
- B. ProVision (config) # vlan 100ProVision (config) # vlan 200ProVision (config) # interface 5 tagged 100 200
- C. ProVision (config) # vlan 100ProVision (config) # vlan 200ProVision (config) # interface 5 tagged 100ProVision (config) # interface 5 tagged 200
- D. ProVision (config) # vlan 100 200ProVision (config) # vlan 100 200 tagged 5

Correct Answer: A

#### QUESTION 4


Which FlexNetwork architecture component provides high performance and low-latency for virtual and physical servers that provide services to the users in a company?

- A. FlexFabric
- B. FlexDataCenter
- C. FlexNet
- D. FlexArchitecture

Correct Answer: A

#### QUESTION 5

Refer to the exhibit.



The physical interfaces for Comware-1 and Comware-2 switches in the exhibit are configured in routed mode and OSPF. Both switches have the three subnets in their routing tables. The administrator wants to use DHCP to assign addressing information to the users. Based on the exhibit, where should the administrator configure DHCP relay?



A. Comware-1. G1/0/2

B. Comware-1, G1/0/1

C. Comware-2. G1/0/2

D. Comware-2, G1/0/1

Correct Answer: B

[HP2-Z37 PDF Dumps](#)

[HP2-Z37 Practice Test](#)

[HP2-Z37 Exam Questions](#)