



HP2-Z37^{Q&As}

Fast Track - Applying HP FlexNetwork Fundamentals

Pass HP HP2-Z37 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/hp2-z37.html>

100% Passing Guarantee
100% Money Back Assurance


Following Questions and Answers are all new published by HP Official Exam Center

- ⚙ **Instant Download** After Purchase
- ⚙ **100% Money Back** Guarantee
- ⚙ **365 Days** Free Update
- ⚙ **800,000+** Satisfied Customers



**QUESTION 1**

Refer to the exhibit.



The switches in the exhibit are all HP ProVision switches that run Multiple Spanning Tree Protocol (MSTP).

The network administrator wants all of the switch-to-switch links shown in the exhibit to be available for forwarding routed traffic. What should the administrator do to accomplish this?

- A. Configure the switch-to-switch ports as MSTP auto-edge ports.
- B. Configure link-keepalive on the switch-to-switch ports.
- C. Configure BPDU filters on the switch-to-switch ports.
- D. Configure links on a switch as a standard link aggregation.

Correct Answer: C

QUESTION 2

Which command can a network administrator execute on an HP Comware switch to manage configuration files?

- A. delete
- B. startup-default
- C. write file
- D. write memory

Correct Answer: A

QUESTION 3

A company wants to implement HP Intelligent Resilient Framework (IRF) at the access layer. Which switches could they use?



- A. two HP 5500 HI Series switches
- B. one HP 5412R zl2 Series switch and one HP 5800 Series switch
- C. one HP 5800 Series switch and one HP 5500 Series switch
- D. two HP 5406R zl2 Series switches

Correct Answer: A

QUESTION 4

An HP Provision switch has port A1 connected to port g1/0/1 of an HP Comware switch. The ProVision port has the following configuration: vlan 1 untag A1 vlan 10 tag A1 vlan 20 tag A1

Which Comware configuration will allow the three VLANs to successfully pass traffic between the two switches?

- A. interface g1/0/1 port link-type trunkport trunk permit vlan 1 10 20
- B. interface g1/0/1 port trunk encapsulation dot1qport trunk native vlan 1port trunk permit vlan 1 10 20
- C. interface g1/0/1 port trunkport trunkpermit auto-vlan
- D. interface g1/0/1 port trunkport trunkpermit auto-vlan

Correct Answer: A

QUESTION 5

Which HP device or port type can modify, read, and respond with frames that include 802.1Q VLAN tags?

- A. Comwaretrunk ports
- B. Comwareroute-mode ports
- C. ProVisionloopback ports
- D. ProVisionuntagged ports

Correct Answer: A

[Latest HP2-Z37 Dumps](#)

[HP2-Z37 VCE Dumps](#)

[HP2-Z37 Braindumps](#)