



HPE0-J50^{Q&As}

Integrating Protected HPE Storage Solutions

Pass HP HPE0-J50 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/hpe0-j50.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

A storage integrator is validating an HPE 3PAR StoreServ implementation. The integrator needs to verify the read/write access to an exported volume from a Windows host. The volume is not visible in Windows Explorer. (Place the steps in the correct order to rectify the solution.)

Select and Place:

Steps	Order
select Disk Management	
select Initialize	
select Online	
select Rescan Disks	
select Format Drive	

Correct Answer:

Steps	Order
	select Disk Management
	select Rescan Disks
	select Format Drive
	select Online
	select Initialize

QUESTION 2

What factors does a storage integrator need to consider before implementing an Ethernet-based SAN?

- A. Data Center Bridging requires supported switches and NICs.
- B. Remote Direct Memory Access (RDMA) support is mandatory for all components.



- C. Data Center Bridging requires optical fiber cables.
- D. Remote Direct Memory Access (RDMA) requires optical fiber cables.

Correct Answer: A

QUESTION 3

A storage integrator is planning an HPE MSA Storage installation.

What needs to be taken into consideration when implementing a SAS connected model?

- A. SAS expander or a SAS switch is supported only with non-redundant paths.
- B. SAS expander or a SAS switch is required if eight or more servers are connected.
- C. Up to four servers with redundant paths can be connected.
- D. Up to four servers with non-redundant paths can be connected.

Correct Answer: C

Reference: https://support.hpe.com/hpsc/doc/public/display?docId=emr_na-a00028199en_usanddocLocale=en_US#N10010

QUESTION 4

A storage integrator has connected a new Windows Server 2012 host to a customer's fabric where five HPE 3PAR StoreServ arrays are already installed. The integrator plans to create a script to send the information about the new host to all HPE 3PAR arrays in an automated way.

Which Host Explorer command should be used?

- A. tpdhostget status
- B. hostagent set
- C. tpdhostagent push
- D. hostagent list

Correct Answer: C

Reference: <https://h20195.www2.hpe.com/v2/GetPDF.aspx/4AA4-4524ENW.pdf> (12)

QUESTION 5

A storage integrator is handing over an installed HPE StoreOnce solution to the customer and demonstrates that the system is properly configured. Which CLI command can be used to run an appliance self-test?

- A. run confidencereport



B. run confidencereport all

C. system confidencechecker runtest all

D. confidencecheck

Correct Answer: C

Reference: <https://support.hpe.com/hpsc/doc/public/display?docId=c04000350> (129)

[HPE0-J50 VCE Dumps](#)

[HPE0-J50 Exam Questions](#)

[HPE0-J50 Braindumps](#)