



HPE0-J50^{Q&As}

Integrating Protected HPE Storage Solutions

Pass HP HPE0-J50 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/hpe0-j50.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

A storage integrator is handing over an installed HPE 3PAR storage system to a customer. The customer wants the original license key of the system for setlicense command that is used to prevent the system from prompting for confirmation of new license key.

Which of the following command shows original license key?

- A. showlicense -raw
- B. displaylicense
- C. licshow
- D. licenseshow

Correct Answer: A

Reference: <https://support.hpe.com/hpsc/doc/public/display?docId=c04204279>

QUESTION 2

The storage integrator is about to add new HPE 3PAR StoreServ 8200 to a customer's existing SAN infrastructure. What must be taken into account when developing a technical action plan?

- A. customer change control procedures
- B. action plan audience
- C. environmental requirements
- D. level of support

Correct Answer: C

QUESTION 3

A storage integrator is planning an HPE MSA Storage installation.

What needs to be taken into consideration when implementing a SAS connected model?

- A. SAS expander or a SAS switch is supported only with non-redundant paths.
- B. SAS expander or a SAS switch is required if eight or more servers are connected.
- C. Up to four servers with redundant paths can be connected.
- D. Up to four servers with non-redundant paths can be connected.


Correct Answer: C



Reference: https://support.hpe.com/hpsc/doc/public/display?docId=emr_na-a00028199en_usanddocLocale=en_US#N10010

QUESTION 4

Refer to the exhibit.



```
10.1.1.209 - PuTTY

Type 'quit' + ENTER at any time to exit

Step 1) Set system wide DNS server addresses (optional) and cluster size (if multi-
node)
-----
=====

Enter a list (max 3) of DNS servers separated by commas; this list may be blank.
The IP version used here must match that used on the management interface later on.
For example, for IPv4: 192.168.1.100,192.168.3.100
For example, for IPv6: 2001:DB8::0,2001:DB8::1

-->10.1.1.1
<--DNS servers: 10.1.1.1

*Step Complete* Do you want to :
1= Go to next step: Step 2) (default)
2= Go back to start of present step: Step 1)
```

Which command can be used in the CLI console to set the static IP address and DNS server for an HPE StoreOnce device?

- A. net set wizard
- B. create network
- C. setup network
- D. run setup

Correct Answer: A

Reference: <https://support.hpe.com/hpsc/doc/public/display?docId=c04000350> (97)

QUESTION 5

A storage integrator is creating a domain in the 3PAR StoreServ Management Console (SSMC).

Which settings of a 3PAR virtual domain have to be configured? (Choose two.)

- A. Name
- B. OpenLDAP server
- C. Active Directory Domain Controller



D. Storage Controller

E. Storage System

Correct Answer: AE

[HPE0-J50 VCE Dumps](#)

[HPE0-J50 Exam Questions](#)

[HPE0-J50 Braindumps](#)